



固特异PowerSpan传动皮带  
Goodyear PowerSpan Belt



## 公司介绍

# INTRODUCTION

作为全球非轮胎橡胶行业中最大的专业橡胶技术公司之一，固恩治技术公司（原固特异工程橡胶部）有着百年工业橡胶技术研发经验。技术和创新是固恩治技术公司发展的基石。公司在研发上持续进行投资，并聘用全球最有才华的工程师和科学家，以确保其产品在技术领域始终保持在最尖端水平。今天固恩治技术公司仍不断创新、开发并生产高性价比的产品，并提供优质的服务，从而满足全球客户不断增长的需要。

As the global leading non-tire rubber manufacturer, Veyance Technologies, Inc. (former Goodyear Engineered Products Division) has hundred years of experiences in rubber product technology. Technology and innovation are cornerstones of Veyance with ongoing investments in research and development employing some of the world's most talented engineers and scientists that help the company stay on the cutting edge of product development. Today, Veyance continues to innovate, develop and produce high quality products and deliver excellent levels of service to meet the growing demands of our customers in the world.



Home Office

Innovation Center

Veyance Technologies, Inc.

Fairlawn, Ohio



今天，我们非常自豪地推出一款最新产品-----固恩治技术公司专为中国及亚太市场量身订制的固特异PowerSpan传送带，该产品的市场投放，为当地客户提供了一种最新高附加值产品，作为替代盖茨，三星，阪东等传送带产品的首要选择。

Today, We are proud to introduce Goodyear PowerSpan, the newest power transmission belt that Veyance has designed for China and the Asia Pacific region. The launch of PowerSpan is to offer the local market the latest valued product that gives end-users a first true alternative to the Gates, MBL, Bando belt.


结合固恩治技术公司目前所供高性能的鹰牌，新一代猎鹰，白鹰传送带产品一样，固特异PowerSpan可以让我们的分销商和最终用户既能享受到产品的优越性能，又能强力结合成本的有效节约。

Together with our current offering of high performance Eagle, Falcon HTC, Hawk products, Goodyear PowerSpan gives authorized distributors as well as end-users a powerful combination in the pursuit performance and cost effective improvement.







# 公制包布带系列 Metric Envelop V Belt




SPA Section



SPB Section



SPC Section



SPZ Section


SPA Section		SPB Section		SPC Section		SPZ Section		
型号 Part Number	型号 Part Number	型号 Part Number	型号 Part Number	型号 Part Number	型号 Part Number	型号 Part Number	型号 Part Number	型号 Part Number
SPA532	SPA1607	SPB800	SPB2000	SPC1600	SPC3350	SPZ0487	SPZ1087	SPZ1762
SPA557	SPA1632	SPB825	SPB2025	SPC1700	SPC3550	SPZ0512	SPZ1112	SPZ1787
SPA582	SPA1657	SPB850	SPB2050	SPC1800	SPC3750	SPZ0562	SPZ1120	SPZ1800
SPA607	SPA1682	SPB925	SPB2100	SPC1900	SPC4000	SPZ0587	SPZ1137	SPZ1812
SPA632	SPA1707	SPB1000	SPB2120	SPC2000	SPC4250	SPZ0612	SPZ1150	SPZ1837
SPA682	SPA1732	SPB1025	SPB2150	SPC2050	SPC4500	SPZ0630	SPZ1162	SPZ1862
SPA707	SPA1757	SPB1050	SPB2175	SPC2120	SPC4750	SPZ0637	SPZ1180	SPZ1875
SPA732	SPA1782	SPB1070	SPB2200	SPC2200	SPC5000	SPZ0662	SPZ1187	SPZ1887
SPA757	SPA1807	SPB1075	SPB2225	SPC2240	SPC5300	SPZ0670	SPZ1202	SPZ1900
SPA782	SPA1832	SPB1100	SPB2250	SPC2250	SPC5600	SPZ0687	SPZ1212	SPZ1925
SPA807	SPA1857	SPB1125	SPB2264	SPC2300	SPC6000	SPZ0710	SPZ1237	SPZ1937
SPA832	SPA1882	SPB1150	SPB2300	SPC2350	SPC6300	SPZ0722	SPZ1250	SPZ1950
SPA857	SPA1907	SPB1175	SPB2350	SPC2360	SPC6700	SPZ0737	SPZ1262	SPZ1987
SPA882	SPA1932	SPB1200	SPB2400	SPC2400	SPC7100	SPZ0750	SPZ1287	SPZ2000
SPA907	SPA1957	SPB1225	SPB2450	SPC2450	SPC7500	SPZ0762	SPZ1312	SPZ2037
SPA932	SPA1982	SPB1250	SPB2500	SPC2500	SPC8000	SPZ0772	SPZ1320	SPZ2120
SPA957	SPA2007	SPB1275	SPB2550	SPC2550	SPC8500	SPZ0787	SPZ1337	SPZ2137
SPA982	SPA2032	SPB1300	SPB2680	SPC2600	SPC9000	SPZ0800	SPZ1347	SPZ2150
SPA1007	SPA2057	SPB1320	SPB2800	SPC2650	SPC9500	SPZ0812	SPZ1362	SPZ2187
SPA1032	SPA2082	SPB1325	SPB2840	SPC2750	SPC10000	SPZ0825	SPZ1387	SPZ2240
SPA1057	SPA2120	SPB1375	SPB3000	SPC2800	SPC10600	SPZ0837	SPZ1400	SPZ2262
SPA1082	SPA2182	SPB1400	SPB3150	SPC2850	SPC11200	SPZ0850	SPZ1412	SPZ2286
SPA1107	SPA2232	SPB1425	SPB3250	SPC2900	SPC12500	SPZ0862	SPZ1437	SPZ2287
SPA1120	SPA2282	SPB1450	SPB3350	SPC2950		SPZ0875	SPZ1462	SPZ2300
SPA1132	SPA2332	SPB1475	SPB3550	SPC3000		SPZ0887	SPZ1487	SPZ2337
SPA1157	SPA2532	SPB1500	SPB3750	SPC3150		SPZ0900	SPZ1500	SPZ2360
SPA1182	SPA2607	SPB1525	SPB3800			SPZ0912	SPZ1550	SPZ2430
SPA1207	SPA2632	SPB1550	SPB4000			SPZ0925	SPZ1512	SPZ2500
SPA1232	SPA2657	SPB1575	SPB4050			SPZ0937	SPZ1537	SPZ2540
SPA1257	SPA2707	SPB1600	SPB4250			SPZ0950	SPZ1562	SPZ2650
SPA1282	SPA2732	SPB1625	SPB4300			SPZ0962	SPZ1587	SPZ2690
SPA1307	SPA2782	SPB1650	SPB4500			SPZ0987	SPZ1600	SPZ2800
SPA1320	SPA2800	SPB1675	SPB4560			SPZ1000	SPZ1612	SPZ2840
SPA1332	SPA2832	SPB1700	SPB4750			SPZ1012	SPZ1637	SPZ3000
SPA1357	SPA2847	SPB1725	SPB4820			SPZ1024	SPZ1650	SPZ3150
SPA1382	SPA2882	SPB1750	SPB5070			SPZ1037	SPZ1662	SPZ3350
SPA1407		SPB1775	SPB5300			SPZ1047	SPZ1687	SPZ3550
SPA1432		SPB1800	SPB5600			SPZ1060	SPZ1700	
SPA1457		SPB1825	SPB6000			SPZ1077	SPZ1737	
SPA1482		SPB1850	SPB6300					
SPA1507		SPB1875	SPB6700					
SPA1532		SPB1900	SPB7100					
SPA1557		SPB1925	SPB7500					
SPA1582		SPB1950	SPB8000					
		SPB1975						

超过4米长，15米以内，均可以平板硫化方式加工，尺寸精确质量高。

Belts with length from 4,000 mm to 15,000 mm can be manufactured by plate press vulcanizer to ensure tight tolerance and high quality.




# 带齿传统型三角带 Cogged Classic V Belt



AX Section



BX Section




CX Section


AX Section				BX Section				CX Section			
型号 Part Number	内周长(mm) Inside length	型号 Part Number	内周长(mm) Inside length	型号 Part Number	内周长(mm) Inside length	型号 Part Number	内周长(mm) Inside length	型号 Part Number	内周长(mm) Inside length	型号 Part Number	内周长(mm) Inside length
AX18	473	AX60	1553	BX26	690	BX70	1806	CX26	679	CX70	1827
AX19	500	AX61	1579	BX27	697	BX71	1840	CX27	705	CX71	1858
AX20	526	AX62	1605	BX28	750	BX72	1858	CX28	731	CX72	1879
AX21	552	AX63	1630	BX29	765	BX73	1890	CX29	757	CX73	1905
AX22	579	AX64	1656	BX30	790	BX74	1909	CX30	783	CX74	1931
AX23	605	AX65	1682	BX31	815	BX75	1940	CX31	809	CX75	1958
AX24	640	AX66	1708	BX32	840	BX76	1961	CX32	835	CX76	1984
AX25	660	AX67	1730	BX33	876	BX77	1987	CX33	861	CX77	2010
AX26	690	AX68	1756	BX34	890	BX78	2012	CX34	887	CX78	2036
AX27	716	AX69	1782	BX35	929	BX79	2040	CX35	914	CX79	2058
AX28	740	AX70	1805	BX36	940	BX80	2064	CX36	940	CX80	2088
AX29	760	AX71	1830	BX37	965	BX81	2090	CX37	966	CX81	2118
AX30	797	AX72	1856	BX38	1005	BX82	2116	CX38	992	CX82	2140
AX31	805	AX73	1882	BX39	1040	BX83	2141	CX39	1058	CX83	2166
AX32	843	AX74	1907	BX40	1056	BX84	2167	CX40	1044	CX84	2192
AX33	871	AX75	1930	BX41	1080	BX85	2193	CX41	1070	CX85	2217
AX34	880	AX76	1959	BX42	1100	BX86	2219	CX42	1096	CX86	2245
AX35	919	AX77	1985	BX43	1130	BX87	2245	CX43	1148	CX87	2271
AX36	944	AX78	2010	BX44	1160	BX88	2280	CX44	1148	CX88	2298
AX37	955	AX79	2030	BX45	1190	BX89	2296	CX45	1175	CX89	2323
AX38	995	AX80	2062	BX46	1215	BX90	2322	CX46	1201	CX90	2344
AX39	1030	AX81	2088	BX47	1240	BX91	2348	CX47	1227	CX91	2375
AX40	1046	AX83	2139	BX48	1255	BX92	2374	CX48	1253	CX92	2401
AX41	1078	AX84	2165	BX49	1290	BX93	2400	CX49	1308	CX93	2418
AX42	1090	AX86	2217	BX50	1315	BX94	2425	CX50	1305	CX94	2453
AX43	1130	AX87	2242	BX51	1340	BX95	2451	CX51	1331	CX95	2480
AX44	1150	AX88	2270	BX52	1360	BX96	2477	CX52	1378	CX96	2496
AX45	1184	AX89	2294	BX53	1390	BX97	2503	CX53	1383	CX97	2532
AX46	1198	AX90	2320	BX54	1412	BX98	2540	CX54	1409	CX98	2558
AX47	1230	AX91	2346	BX55	1440	BX99	2554	CX55	1458	CX99	2584
AX48	1250	AX92	2371	BX56	1445	BX100	2580	CX56	1462	CX100	2610
AX49	1280	AX93	2390	BX57	1490	BX102	2632	CX57	1488	CX102	2662
AX50	1300	AX94	2423	BX58	1513	BX103	2656	CX58	1514	CX103	2688
AX51	1342	AX95	2449	BX59	1540	BX104	2690	CX59	1558	CX104	2714
AX52	1350	AX96	2475	BX60	1548	BX105	2709	CX60	1566	CX105	2741
AX53	1380	AX97	2500	BX61	1590	BX106	2735	CX61	1592	CX106	2767
AX54	1405	AX98	2530	BX62	1615	BX108	2786	CX62	1632	CX108	2819
AX55	1430	AX99	2552	BX63	1640	BX110	2840	CX63	1644	CX110	2858
AX56	1452	AX100	2578	BX64	1651	BX112	2890	CX64	1670	CX112	2923
AX57	1480	AX103	2655	BX65	1677	BX114	2941	CX65	1697	CX114	2975
AX58	1505	AX110	2830	BX66	1703	BX115	2967	CX66	1723	CX115	3002
AX59	1530			BX67	1740	BX116	2993	CX67	1758	CX116	3028
				BX68	1727	BX118	3040	CX68	1785	CX118	3058
				BX69	1790	BX120	3096	CX69	1801	CX120	3132




# 带齿切边窄型V带 Cogged Narrow V Belt



3VX Section



5VX Section




8VX Section

3VX Section		5VX Section		8VX Section	
型号 Part Number	外周长(cm) Outside length	型号 Part Number	外周长(cm) Outside length	型号 Part Number	外周长(cm) Outside length
3VX250	635	5VX450	1143	8VX1000	2540
3VX265	673	5VX470	1194	8VX1060	2692
3VX280	711	5VX490	1245	8VX1120	2845
3VX300	762	5VX500	1270	8VX1180	2997
3VX315	800	5VX530	1346	8VX1250	3175
3VX325	825	5VX560	1422	8VX1320	3353
3VX335	851	5VX600	1524	8VX1400	3556
3VX355	902	5VX640	1626	8VX1500	3810
3VX375	952	5VX670	1702		
3VX400	1016	5VX690	1753		
3VX415	1054	5VX710	1803		
3VX425	1079	5VX730	1854		
3VX450	1143	5VX750	1905		
3VX475	1206	5VX800	2032		
3VX500	1270	5VX830	2108		
3VX530	1346	5VX850	2159		
3VX560	1422	5VX880	2235		
3VX600	1524	5VX900	2286		
3VX630	1600	5VX930	2362		
3VX670	1702	5VX950	2413		
3VX710	1803	5VX1030	2616		
3VX750	1905	5VX1060	2692		
3VX800	2032	5VX1080	2743		
3VX850	2159	5VX1120	2845		
3VX900	2286	5VX1150	2921		
3VX950	2413	5VX1180	2997		
3VX1000	2540	5VX1200	3048		
3VX1060	2692	5VX1230	3124		
3VX1120	2845	5VX1250	3175		
		5VX1320	3353		
		5VX1400	3556		
		5VX1500	3810		




# 公制带齿 Metric Cogged V Belt



XPA Section			XPB Section		XPC Section			XPZ Section		
型号 Part Number	型号 Part Number	型号 Part Number	型号 Part Number	型号 Part Number	型号 Part Number	型号 Part Number	型号 Part Number	型号 Part Number	型号 Part Number	型号 Part Number
XPA0732	XPA1232	XPA1900	XPB1130	XPB1740	XPC1008	XPC2000	XPC2853	XPZ0587	XPZ1202	XPZ1800
XPA0747	XPA1250	XPA1907	XPB1180	XPB1790	XPC1041	XPC2007	XPC2870	XPZ0612	XPZ1212	XPZ1812
XPA0757	XPA1257	XPA1932	XPB1230	XPB1840	XPC1067	XPC2032	XPC2876	XPZ0630	XPZ1222	XPZ1837
XPA0770	XPA1272	XPA1950	XPB1250	XPB1850	XPC1092	XPC2057	XPC2921	XPZ0637	XPZ1237	XPZ1850
XPA0782	XPA1282	XPA1957	XPB1260	XPB1870	XPC1118	XPC2083	XPC2946	XPZ0662	XPZ1250	XPZ1862
XPA0800	XPA1307	XPA1982	XPB1280	XPB1900	XPC1143	XPC2108	XPC2972	XPZ0670	XPZ1270	XPZ1887
XPA0807	XPA1320	XPA2000	XPB1320	XPB2000	XPC1168	XPC2120	XPC2926	XPZ0687	XPZ1262	XPZ1900
XPA0810	XPA1327	XPA2032	XPB1340	XPB2150	XPC1194	XPC2134	XPC2997	XPZ0710	XPZ1287	XPZ1937
XPA0820	XPA1332	XPA2060	XPB1360	XPB2240	XPC1219	XPC2159	XPC3000	XPZ0737	XPZ1312	XPZ1950
XPA0832	XPA1357	XPA2082	XPB1380	XPB2280	XPC1245	XPC2184	XPC3023	XPZ0750	XPZ1320	XPZ1987
XPA0850	XPA1382	XPA2120	XPB1400	XPB2360	XPC1270	XPC2210	XPC3028	XPZ0762	XPZ1337	XPZ2000
XPA0857	XPA1400	XPA2132	XPB1410	XPB2400	XPC1295	XPC2235	XPC3067	XPZ0772	XPZ1340	XPZ2030
XPA0882	XPA1407	XPA2182	XPB1430	XPB2500	XPC1321	XPC2240	XPC3079	XPZ0787	XPZ1347	XPZ2060
XPA0900	XPA1432	XPA2232	XPB1450	XPB2650	XPC1346	XPC2261	XPC3132	XPZ0800	XPZ1362	XPZ2120
XPA0907	XPA1450	XPA2282	XPB1460	XPB2680	XPC1372	XPC2286	XPC3130	XPZ0812	XPZ1387	XPZ2138
XPA0925	XPA1457	XPA2360	XPB1480	XPB2800	XPC1397	XPC2311	XPC3167	XPZ0825	XPZ1400	XPZ2160
XPA0932	XPA1482	XPA2300	XPB1500	XPB2840	XPC1422	XPC2337	XPC3180	XPZ0837	XPZ1412	XPZ2240
XPA0950	XPA1500	XPA2332	XPB1510	XPB2990	XPC1448	XPC2360	XPC3246	XPZ0850	XPZ1420	XPZ2280
XPA0957	XPA1507	XPA2382	XPB1540	XPB3014	XPC1473	XPC2362	XPC3259	XPZ0862	XPZ1437	XPZ2360
XPA0975	XPA1532	XPA2430	XPB1590	XPB3110	XPC1499	XPC2388	XPC3277	XPZ0875	XPZ1450	XPZ2410
XPA0982	XPA1550	XPA2482	XPB1600	XPB3165	XPC1524	XPC2420	XPC3350	XPZ0887	XPZ1462	XPZ2487
XPA1000	XPA1557	XPA2500	XPB1640	XPB3170	XPC1549	XPC2438	XPC3550	XPZ0900	XPZ1487	XPZ2500
XPA1007	XPA1582	XPA2532	XPB1660	XPB3300	XPC1575	XPC2474	XPC3750	XPZ0912	XPZ1500	XPZ2540
XPA1030	XPA1600	XPA2582	XPB1690	XPB3550	XPC1600	XPC2499	XPC4000	XPZ0925	XPZ1512	XPZ2650
XPA1060	XPA1607	XPA2607	XPB1700		XPC1626	XPC2500	XPC4250	XPZ0937	XPZ1520	XPZ2678
XPA1080	XPA1632	XPA2632	XPB1720		XPC1651	XPC2515	XPC4500	XPZ0950	XPZ1537	XPZ2792
XPA1082	XPA1700	XPA2664			XPC1676	XPC2540		XPZ0962	XPZ1550	XPZ2830
XPA1107	XPA1732	XPA2682			XPC1684	XPC2565		XPZ0987	XPZ1562	XPZ2840
XPA1120	XPA1750	XPA2732			XPC1702	XPC2591		XPZ1000	XPZ1587	XPZ3000
XPA1132	XPA1757	XPA2782			XPC1734	XPC2616		XPZ1012	XPZ1600	XPZ3170
XPA1157	XPA1782	XPA2788			XPC1753	XPC2618		XPZ1037	XPZ1612	XPZ3350
XPA1140	XPA1792	XPA2832			XPC1778	XPC2650		XPZ1060	XPZ1637	XPZ3550
XPA1150	XPA1807	XPA2847			XPC1803	XPC2667		XPZ1077	XPZ1650	
XPA1180	XPA1832				XPC1829	XPC2692		XPZ1087	XPZ1662	
XPA1090	XPA1850				XPC1854	XPC2718		XPZ1112	XPZ1687	
XPA1207	XPA1857				XPC1887	XPC2743		XPZ1120	XPZ1690	
XPA1215	XPA1874				XPC1902	XPC2769		XPZ1137	XPZ1737	
					XPC1930	XPC2778		XPZ1180	XPZ1750	
					XPC1956	XPC2800		XPZ1187	XPZ1762	
					XPC1987	XPC2831		XPZ1200	XPZ1782	



## T 型齿工业同步带 T Type Industrial Rubber Synchronous Belt



型号 Type	节距 (mm) Pitch	齿高 (mm) Toothheight	带厚 (mm) Belt thickness	角度 $\beta^\circ$ Angle $\beta^\circ$
MXL	2.032	0.51	1.14	40
XXL	3.175	0.76	1.52	40
XL	5.080	1.27	2.30	50
L	9.525	1.91	3.60	40
H	12.70	2.29	4.30	40
XH	22.225	6.35	11.20	40
XXH	31.750	9.53	15.70	40
T2.5	2.5	0.7	1.30	40
T5	5	1.20	2.20	40
T10	10	2.50	4.50	40
T20	20	5.00	8.00	40
AT5	5	1.20	2.70	50
AT10	10	2.50	5.00	50
AT20	20	5.00	8.00	50

## 圆弧齿工业同步带 Arc Teeth Industrial Rubber Timing Belt

齿型代号	型号 Type	节距 (mm) PitchPb	齿高 (mm) Toothheightht	带厚 (mm) Belt thicknesshs
 HTD	2M	2	0.75	1.36
	3M	3	1.17	2.4
	5M	5	2.06	3.8
	8M	8	3.36	6.00
	14M	14	6.02	10.00
	20M	20	8.4	13.20
 STPD / STS	S2M	2	0.76	1.36
	S3M	3	1.14	2.2
	S4.5M	4.5	1.71	2.81
	S5M	5	1.91	3.4
	S8M	8	3.05	5.3
	S14M	14	5.3	10.2
 RPD / HPPD	2M	2	0.76	1.36
	3M	3	1.15	1.9
	5M	5	1.95	3.5
	8M	8	3.2	5.5
	14M	14	6.00	10

### 规格型号标记 Example of mark


120 XL 037  
 节线长度 12 英寸 Pitch Length 12 Inch  
 型号 Type  
 宽度 0.37 英寸 Width 0.37 Inch

T10 x 1250 x 30  
 节线长度 Pitch  
 型号 Type  
 宽度 Width(mm)

HTD - 1040 - 8M - 20  
 齿型代号 Gear Code  
 节线长度 Pitch  
 型号 Type  
 宽度 Width(mm)




**MXL 型 ( 节距= 2.032mm )**  
**belt MXL ( Pitch= 2.032mm )**




MXL				MXL				MXL			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
21MXL	52.83	60	26	71MXL	180.85	200	89	122MXL	310.90	450	153
22MXL	54.86	60	27	72MXL	182.88	200	90	123MXL	312.93	450	154
26MXL	67.06	100	33	73MXL	186.94	150	92	124MXL	314.96	200	155
28MXL	71.12	160	35	75MXL	191.01	200	94	125MXL	316.99	450	156
30MXL	76.20	160	38	76MXL	193.04	200	95	126MXL	320.04	200	157
32MXL	81.28	160	40	77MXL	197.10	200	97	128MXL	325.12	450	160
34MXL	87.38	100	43	78MXL	199.14	200	98	130MXL	330.20	450	162
36MXL	91.44	60	45	80MXL	203.30	200	100	132MXL	335.28	450	165
37.6MXL	95.50	160	47	80.8MXL	205.23	200	101	134MXL	341.38	200	168
39MXL	99.57	160	49	81MXL	207.26	200	102	136MXL	345.44	200	170
40MXL	101.60	160	50	82MXL	209.30	200	103	140MXL	355.60	450	175
41MXL	103.63	160	51	84MXL	213.36	200	105	144MXL	365.76	450	180
41.6MXL	105.66	160	52	85MXL	215.39	450	106	147MXL	373.89	450	184
42MXL	107.70	150	53	85.5MXL	217.17	200	107	152MXL	386.08	450	190
43MXL	109.73	160	54	86MXL	219.46	200	108	154MXL	390.14	450	192
44MXL	111.76	160	55	87MXL	221.49	200	109	155MXL	394.21	450	194
45MXL	113.79	100	56	88MXL	223.52	150	110	156MXL	396.24	450	195
45.6MXL	115.82	150	57	89MXL	227.58	400	112	158MXL	401.32	450	197
46MXL	116.84	160	58	90MXL	229.62	200	113	160MXL	406.40	450	200
47MXL	119.89	160	59	91MXL	231.65	450	114	165MXL	419.10	450	206
48MXL	121.92	100	60	92MXL	233.68	450	115	168MXL	426.72	450	210
49MXL	123.95	200	61	93MXL	235.71	200	116	169MXL	430.78	450	212
49.6MXL	125.98	160	62	94MXL	239.78	200	118	172MXL	436.88	450	215
50MXL	128.02	200	63	96MXL	243.84	200	120	173MXL	439.42	450	216
51MXL	129.54	200	64	97.6MXL	247.90	200	122	177MXL	449.07	450	221
52MXL	132.08	100	65	98MXL	249.94	200	123	180MXL	457.20	450	225
53MXL	134.11	160	66	100MXL	254.00	200	125	182MXL	463.30	450	228
53.6MXL	136.14	160	67	101MXL	256.03	450	126	185MXL	471.42	450	232
54MXL	138.18	160	68	102MXL	260.10	450	128	189MXL	479.55	450	236
56MXL	142.24	200	70	104MXL	264.16	450	130	191MXL	485.65	450	239
57MXL	144.27	100	71	106MXL	268.22	200	132	192MXL	487.68	450	240
58MXL	146.30	100	72	106.4MXL	270.26	450	133	199MXL	505.97	450	249
58.4MXL	148.34	150	73	108MXL	274.32	450	135	200MXL	508.00	450	250
60MXL	152.40	200	75	109MXL	276.86	450	136	205MXL	520.19	450	256
61MXL	154.43	200	76	109.6MXL	278.38	450	137	212MXL	538.48	450	265
61.6MXL	156.46	200	77	110MXL	280.42	450	138	218MXL	553.72	450	273
62MXL	158.50	200	78	111MXL	281.94	200	139	221MXL	560.83	450	276
63MXL	160.53	100	79	112MXL	284.48	450	140	224MXL	568.96	450	280
64MXL	162.56	200	80	113MXL	288.54	450	142	232MXL	589.28	450	290
65MXL	166.62	200	82	115MXL	292.61	200	144	236MXL	599.44	450	295
66MXL	168.66	200	83	116MXL	294.64	450	145	238MXL	605.54	450	298
67MXL	170.18	200	84	118MXL	300.74	450	148	240MXL	609.60	150	300
68MXL	172.72	200	85	119MXL	302.77	200	149	244MXL	619.76	150	305
69MXL	176.78	200	87	120MXL	304.80	450	150	248MXL	629.92	450	310
70MXL	178.82	100	88	121MXL	308.86	450	152	250MXL	633.98	450	312



**XL 型 ( 节距=5.080mm )**  
**Belt XL ( Pitch=5.080mm )**



XXL




XL

MXL				XXL				XL			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
254MXL	646.18	200	318	40XXL	127.00	160	40	44XL	111.76	100	22
256MXL	650.24	150	320	70XXL	222.25	200	70	56XL	142.24	160	28
259MXL	657.86	450	324	91XXL	288.93	450	91	60XL	152.40	200	30
262MXL	666.50	450	328	96XXL	304.80	450	96	70XL	177.80	200	35
264MXL	670.56	450	330	129XXL	409.50	450	129	72XL	182.88	200	36
269MXL	682.75	450	336	140XXL	444.50	450	140	74XL	187.96	200	37
278MXL	705.10	450	347	163XXL	517.53	450	163	76XL	193.04	100	38
290MXL	735.58	150	362	175XXL	555.63	450	175	80XL	203.20	200	40
B372MXL	756.00	450	372					82XL	208.28	200	41
302MXL	768.10	450	378					84XL	213.36	200	42
320MXL	812.80	450	400					86XL	218.44	200	43
326MXL	829.06	450	408					88XL	223.52	200	44
339MXL	861.57	450	424					90XL	228.60	200	45
358MXL	910.34	450	448					92XL	233.68	450	46
362MXL	919.48	450	453					94XL	238.76	450	47
370MXL	940.00	450	463					96XL	243.84	200	48
378MXL	959.10	450	472					98XL	248.92	450	49
398.4MXL	1011.94	450	498					100XL	254.00	450	50
403MXL	1024.13	450	504					102XL	259.08	450	51
418MXL	1060.70	450	522					104XL	264.16	450	52
425MXL	1078.99	450	531					106XL	269.24	450	53
437MXL	1110.00	450	546					108XL	274.35	200	54
438MXL	1112.52	450	548					110XL	279.40	450	55
456MXL	1158.24	450	570					112XL	284.48	450	56
466MXL	1184.66	200	583					114XL	289.56	200	57
480MXL	1219.20	200	600					116XL	294.64	450	58
488MXL	1239.52	450	610					118XL	299.72	450	59
518MXL	1316.74	200	648					120XL	304.80	450	60
525MXL	1332.99	450	656					122XL	309.88	450	61
544MXL	1381.76	450	680					124XL	314.96	450	62
600MXL	1524.00	200	750					126XL	320.04	450	63
608MXL	1544.32	450	760					128XL	325.12	450	64
640MXL	1625.60	450	800					130XL	330.20	200	65
764MXL	1940.56	450	955					132XL	335.28	200	66
765MXL	1944.62	450	957					134XL	340.36	450	67
810MXL	2056.38	450	1012					136XL	345.44	450	68
824MXL	2092.96	450	1030					138XL	350.52	450	69
848MXL	2153.92	450	1060					140XL	355.60	450	70
870MXL	2210.82	450	1088					142XL	360.68	450	71
910MXL	2310.38	450	1137					144XL	365.76	450	72
1000MXL	2540.00	250	1250					146XL	370.84	450	73
1141MXL	2897.63	450	1426					148XL	375.92	450	74
1170MXL	2972.82	450	1463					150XL	381.00	450	75
1213MXL	3080.51	450	1516					152XL	386.08	450	76
1445MXL	3669.79	450	1806					154XL	391.16	450	77
1500MXL	3810.00	450	1875								
1635MXL	4153.41	450	2044								



# L 型 ( 节距=9.525mm ) Belt L ( Pitch=9.525mm )




XL				XL				L			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
156XL	396.24	450	78	326XL	828.04	450	163	67L	170.18	200	18
160XL	406.40	450	80	330XL	838.20	450	165	98L	247.65	450	26
162XL	411.48	450	81	340XL	863.60	450	170	109L	276.23	80	29
164XL	416.56	450	82	344XL	873.76	450	172	113L	285.75	80	30
166XL	421.64	200	83	348XL	883.92	200	174	124L	314.33	400	33
168XL	426.72	450	84	352XL	894.08	450	176	130L	333.38	450	35
170XL	431.80	450	85	356XL	904.24	450	178	135L	342.90	450	36
172XL	436.88	450	86	360XL	914.40	450	180	143L	361.95	450	38
176XL	447.04	450	88	362XL	919.48	450	181	150L	381.00	450	40
178XL	452.12	450	89	364XL	924.56	450	182	154L	390.53	450	41
180XL	457.20	450	90	370XL	939.80	450	185	158L	400.05	450	42
182XL	462.28	450	91	372XL	944.88	450	186	160L	409.58	450	43
184XL	467.36	450	92	376XL	955.40	450	188	165L	419.10	450	44
186XL	472.44	450	93	380XL	965.20	450	190	169L	429.26	450	45
188XL	477.52	450	94	384XL	975.36	450	192	173L	438.15	450	46
190XL	482.60	450	95	390XL	990.60	450	195	177L	447.68	450	47
192XL	487.68	450	96	392XL	995.68	450	196	180L	457.20	450	48
194XL	492.76	450	97	400XL	1016.00	200	200	185L	466.73	450	49
196XL	497.84	450	98	412XL	1046.48	450	206	187L	476.25	450	50
198XL	502.92	450	99	414XL	1051.56	450	207	191L	485.78	450	51
200XL	508.00	200	100	424XL	1076.90	450	212	195L	495.30	450	52
202XL	513.08	450	101	430XL	1092.20	450	215	203L	514.35	450	54
206XL	523.24	450	103	432XL	1097.28	450	216	210L	533.40	450	56
208XL	528.32	450	104	434XL	1102.36	450	217	214L	542.93	450	57
210XL	533.40	450	105	450XL	1143.00	450	225	217L	552.45	450	58
212XL	538.48	450	106	460XL	1168.40	200	230	225L	571.50	450	60
214XL	543.56	450	107	480XL	1219.20	450	240	233L	590.55	200	62
218XL	553.72	450	109	490XL	1244.60	450	245	236L	600.08	450	63
220XL	558.80	450	110	492XL	1249.68	450	246	240L	609.60	450	64
226XL	574.04	450	113	514XL	1305.56	450	257	244L	619.03	450	65
228XL	579.13	450	114	560XL	1422.40	450	280	255L	647.70	450	68
230XL	584.20	450	115	564XL	1432.56	450	282	258L	655.32	450	69
234XL	594.36	450	117	566XL	1437.64	450	283	263L	666.75	450	70
236XL	599.44	450	118	574XL	1457.96	450	287	265L	676.28	450	71
240XL	609.60	450	120	580XL	1473.20	450	290	270L	685.80	450	72
248XL	629.92	150	124	612XL	1554.48	200	306	275L	695.33	450	73
250XL	635.00	450	125	630XL	1600.20	200	315	277L	704.85	450	74
256XL	650.24	450	128	670XL	1701.80	450	335	281L	714.38	450	75
260XL	660.40	450	130	672XL	1706.88	450	336	285L	723.90	450	76
264XL	670.56	450	132	686XL	1742.44	450	343	300L	762.00	450	80
270XL	685.80	450	135	710XL	1803.40	450	355	304L	771.53	200	81
274XL	695.96	450	137	720XL	1822.88	200	360	315L	800.10	450	84
276XL	701.04	450	138	736XL	1869.44	450	368	319L	809.63	450	85
280XL	711.20	450	140	788XL	2001.52	450	394	322L	819.15	450	86
282XL	716.28	200	141	860XL	2184.40	450	430	328L	826.68	200	87
286XL	726.44	450	143	1032XL	2621.28	450	516				
290XL	736.60	450	145	1220XL	3098.80	450	610				
300XL	762.00	200	150	1300XL	3302.00	450	650				
304XL	772.16	450	152	1494XL	3794.76	450	747				
306XL	777.24	450	153	2128XL	5405.12	200	1064				
310XL	787.40	450	155								
316XL	802.64	450	158								
320XL	812.80	450	160								
322XL	817.88	450	161								

200XL--580XL有双面齿供应, 宽度为180mm



# H 型 ( 节距=12.70mm ) Belt H ( Pitch=12.70mm )



L				L				H			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
330L	838.20	450	88	660L	1676.40	450	176	145H	368.30	450	29
334L	847.73	450	89	694L	1762.13	200	185	185H	469.90	450	37
337L	857.25	450	90	697L	1770.38	450	186	200H	508.00	450	40
341L	866.78	190	91	701L	1780.54	450	187	205H	520.70	450	41
345L	876.30	450	92	720L	1828.80	250	192	210H	533.40	450	42
352L	895.35	190	94	728L	1847.85	450	194	220H	558.80	450	44
360L	914.40	450	96	731L	1857.39	450	195	225H	571.50	450	45
367L	933.45	450	98	765L	1943.10	250	204	230H	584.20	450	46
371L	942.98	190	99	840L	2133.60	450	224	240H	609.60	450	48
375L	952.50	450	100	855L	2171.70	450	228	245H	622.30	450	49
382L	971.55	200	102	863L	2190.73	190	230	250H	635.00	450	50
387L	981.08	200	103	870L	2209.80	450	232	255H	647.70	450	51
390L	990.60	450	104	881L	2238.38	450	235	260H	660.40	450	52
394L	1000.13	200	105	900L	2286.00	450	240	270H	685.80	450	54
397L	1009.65	200	106	915L	2324.10	450	244	280H	711.20	450	56
405L	1028.70	450	108	934L	2372.36	450	249	285H	723.90	450	57
408L	1036.23	200	109	980L	2489.20	450	261	290H	736.60	450	58
412L	1047.75	200	110	1028L	2609.85	450	274	300H	762.00	450	60
420L	1066.80	450	112	1148L	2914.65	450	306	310H	787.40	450	62
427L	1085.85	450	114	1192L	3028.95	450	318	315H	800.10	450	63
435L	1104.90	450	116	1406L	3571.88	450	375	320H	812.80	450	64
439L	1115.06	450	117	1418L	3600.45	450	378	325H	825.50	450	65
442L	1123.95	200	118	1675L	4257.68	450	447	330H	838.20	450	66
450L	1143.00	450	120	1988L	5048.25	200	530	335H	850.90	450	67
453L	1152.53	200	121					340H	863.60	450	68
461L	1170.94	450	123					345H	876.30	450	69
465L	1181.10	450	124					350H	889.00	450	70
480L	1219.20	450	128					355H	910.70	450	71
495L	1257.30	450	132					360H	914.40	450	72
500L	1266.83	450	133					365H	927.10	450	73
510L	1295.40	450	136					370H	939.80	200	74
518L	1315.72	450	138					375H	952.50	450	75
525L	1333.50	200	140					380H	965.20	450	76
540L	1371.60	450	144					390H	990.60	450	78
548L	1390.65	190	146					395H	1003.30	200	79
555L	1409.70	200	148					400H	1016.00	450	80
570L	1447.80	200	152					405H	1028.70	450	81
574L	1457.33	450	153					410H	1041.40	450	82
581L	1475.74	450	155					420H	1066.80	450	84
585L	1485.90	250	156					425H	1079.50	450	85
600L	1524.00	450	160								
619L	1572.26	450	165								
620L	1574.80	450	165								
630L	1600.20	450	168								
634L	1610.36	450	169								

203L--660L有双面齿供应, 宽度为180mm

200L--2720L有双面齿供应, 宽度为200mm




H				H				H			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
430H	1092.20	450	86	720H	1828.80	440	144	1325H	3365.50	450	265
445H	1130.30	200	89	725H	1841.50	450	145	1350H	3429.00	450	270
450H	1143.00	450	90	730H	1854.20	450	146	1360H	3454.40	450	272
455H	1155.70	450	91	740H	1879.60	450	148	1380H	3505.20	440	276
460H	1168.40	450	92	750H	1905.00	450	150	1400H	3556.00	440	280
465H	1181.10	450	93	770H	1955.80	450	154	1440H	3657.00	440	288
470H	1193.80	250	94	775H	1968.50	450	155	1450H	3683.00	250	290
480H	1219.20	450	96	785H	1993.90	200	157	1460H	3708.40	440	292
485H	1231.90	450	97	800H	2032.00	450	160	1500H	3810.00	440	300
490H	1244.60	450	98	810H	2057.40	200	162	1510H	3835.40	440	302
500H	1270.00	450	100	820H	2082.80	450	164	1535H	3898.90	440	307
510H	1295.40	450	102	830H	2108.20	450	166	1550H	3937.00	440	310
515H	1308.10	450	103	840H	2133.60	220	168	1560H	3962.40	440	312
520H	1320.80	180	104	850H	2159.00	450	170	1600H	4064.00	440	320
525H	1333.50	190	105	860H	2184.40	250	172	1630H	4140.20	440	326
530H	1346.20	450	106	880H	2235.20	200	176	1660H	4216.40	440	332
535H	1358.90	450	107	895H	2273.30	450	179	1680H	4267.20	440	336
540H	1371.60	450	108	900H	2286.00	450	180	1700H	4318.00	440	340
550H	1397.00	450	110	920H	2336.80	450	184	1750H	4445.00	440	350
555H	1409.70	450	111	930H	2362.20	450	186	1765H	4483.10	440	353
560H	1422.40	450	112	950H	2413.00	450	190	1855H	4711.70	250	371
565H	1435.10	200	113	960H	2438.40	450	192	2010H	5105.40	440	402
570H	1447.80	450	114	980H	2489.20	450	196	2100H	5334.00	440	420
580H	1473.20	450	116	985H	2501.90	450	197	2200H	5588.00	440	440
585H	1485.90	450	117	1000H	2540.00	450	200	2210H	5613.40	440	442
590H	1498.60	450	118	1020H	2590.80	200	204	2360H	5994.40	440	472
600H	1524.00	450	120	1030H	2616.20	450	206	2500H	6350.00	440	500
605H	1536.70	200	121	1050H	2667.00	450	210	2680H	6807.20	440	536
610H	1549.40	450	122	1085H	2755.90	250	217	2700H	6858.00	440	540
625H	1587.50	450	125	1100H	2794.00	450	220	2720H	6908.80	440	544
630H	1600.20	450	126	1120H	2844.80	450	224				
640H	1625.60	440	128	1130H	2870.20	200	226				
650H	1651.00	450	130	1140H	2895.60	200	228				
660H	1676.40	450	132	1150H	2921.00	450	230				
670H	1701.80	450	134	1170H	2941.80	450	234				
680H	1727.20	190	136	1175H	2984.50	450	235				
690H	1752.60	450	138	1200H	3048.00	450	240				
695H	1765.30	450	139	1250H	3175.00	450	250				
700H	1778.00	450	140	1260H	3200.40	450	252				
710H	1803.40	200	142	1270H	3225.80	250	254				



# G 固特异PowerSpan传动皮带 Goodyear PowerSpan Belt

固特异PowerSpan传送带有着丰富的产品线，包括普通V带，切边V带，窄V带，多楔带，变速带，同步带和各种工业传动皮带，这些产品广泛应用于设备制造，原材料加工，纺织，包装印刷和其他行业领域。

With its broad range of product lines including wrapped V belt, raw edge V belt, narrow V belt, poly V belt, variable speed belt, timing belt and various miscellaneous rubber belts, Goodyear PowerSpan will be widely applied in equipment manufacturing, raw material processing, textile, packaging & printing and other industry fields.



我们提供的不仅是高品质的产品。

同固特异合作，您将得到高品质的技术服务和支持，这正是在当前商业环境中保持领先的关键所在。提供固特异传动产品的经销商都是经过仔细选择和培训的，他们能提供的不仅是固特异的产品，还有整套的具有附加价值的服务，包括：固特异高品质的产品，非常竞争力的价格，快速的交货时间，专业的售后服务。

WE PROVIDE MUCH MORE THAN QUALITY PRODUCTS

Working with Goodyear, you will receive the high level of service and support that is critical to stay ahead in today's business environment. Goodyear power transmission products are available through qualified distributors that are carefully selected and trained to provide much more than quality Goodyear products. A complete selection of value-added services are available like: Goodyear high quality, Very competitive local price, Fast delivery time, Professional sales service.

## 客户满意

使客户满意是我们最重要的指导原则。我们认为，最能确保客户满意的途径就是不断的努力改进服务。这一承诺保证了固特异传动产品及其服务、运送等方面的质量——无论是现在还是将来。

## CUSTOMER SATISFACTION

Customer satisfaction is foremost in our guiding principles.

We've determined that the surest route to customer satisfaction is through a constant effort to improve. This commitment guarantees the quality of Goodyear's Power Transmission products, services, deliveries and more——both now and in the years to come.

# The Customer First, Always!


## 客户第一，永远第一！



**XH 型 ( 节距=22.225mm )**  
**belt XH ( Pitch=22.225mm )**

**XXH 型 ( 节距=31.750mm )**  
**belt XXH ( Pitch=31.750mm )**

**T2.5 型 ( 节距=2.50mm )**  
**Belt T2.5 ( Pitch=2.50mm )**



XH


XXH

T2.5

XH				XXH				T2.5			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
463XH	1177.93	240	53	625XXH	1588.00	430	50	T2.5×102.5	102.50	100	41
507XH	1287.78	180	58	650XXH	1651.00	430	52	T2.5×120	120.00	100	48
508XH	1289.05	180	58	700XXH	1778.00	430	56	T2.5×145	145.00	160	58
560XH	1422.40	430	64	800XXH	2032.00	430	64	T2.5×150	150.00	160	60
570XH	1444.63	430	65	900XXH	2286.00	280	72	T2.5×160	160.00	200	64
580XH	1466.85	190	66	950XXH	2413.00	230	76	T2.5×165	165.00	200	66
604XH	1533.53	430	69	1000XXH	2540.00	430	80	T2.5×170	170.00	200	68
630XH	1600.20	430	72	1050XXH	2667.00	430	84	T2.5×177.5	177.50	100	71
700XH	1778.00	430	80	1200XXH	3048.00	430	96	T2.5×187.5	187.50	200	75
710XH	1800.23	430	81	1250XXH	3175.00	430	100	T2.5×200	200.00	100	80
735XH	1866.90	200	84	1400XXH	3556.00	220	112	T2.5×230	230.00	200	92
752XH	1911.35	430	86	1563XXH	3968.75	230	125	T2.5×245	245.00	450	98
770XH	1955.80	430	88	1600XXH	4064.00	430	128	T2.5×265	265.00	200	106
800XH	2022.48	430	91	1700XXH	4318.00	230	136	T2.5×285	285.00	100	114
805XH	2044.70	430	92	1800XXH	4572.00	430	144	T2.5×300	300.00	100	120
840XH	2133.60	430	96	1925XXH	4889.50	430	154	T2.5×317.5	317.50	450	127
850XH	2159.00	430	97	2000XXH	5080.00	430	160	T2.5×330	330.00	100	132
901XH	2288.54	430	103					T2.5×335	335.00	100	134
919XH	2333.63	430	105					T2.5×350	350.00	450	140
927XH	2354.58	430	106					T2.5×380	380.00	100	152
980XH	2489.20	430	112					T2.5×390	390.00	450	156
1000XH	2533.65	230	114					T2.5×410	410.00	200	164
1120XH	2844.80	430	128					T2.5×420	420.00	450	168
1260XH	3200.40	430	144					T2.5×470	470.00	450	188
1400XH	3556.00	430	160					T2.5×480	480.00	450	192
1540XH	3911.60	180	176					T2.5×500	500.00	450	200
1575XH	4000.50	250	160					T2.5×540	540.00	450	216
1750XH	4445.00	430	200					T2.5×620	620.00	150	248
1873XH	4756.15	250	214					T2.5×635	635.00	450	254
2275XH	5778.50	430	260					T2.5×650	650.00	450	260
								T2.5×690	690.00	450	276
								T2.5×705	705.00	450	282
								T2.5×787.5	787.50	450	315
								T2.5×905	905.00	450	362
								T2.5×950	950.99	450	380
								T2.5×975	975.00	450	390
								T2.5×1095	1095.00	450	438
								T2.5×1127.5	1127.50	450	451
								T2.5×1295	1295.00	450	518
								T2.5×1345	1345.00	450	538



# T 5 型 ( 节距=5.00mm ) Belt T5 ( Pitch=5.00mm )



T5


T5				T5				T5			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
T5×115	115.00	50	23	T5×540	540.00	450	108	T5×1020	1020.00	450	204
T5×150	150.00	60	30	T5×545	545.00	150	109	T5×1030	1030.00	450	206
T5×165	165.00	60	33	T5×550	550.00	450	110	T5×1045	1045.00	450	209
T5×185	185.00	60	37	T5×560	560.00	450	112	T5×1050	1050.00	190	210
T5×190	190.00	200	38	T5×570	570.00	450	114	T5×1060	1060.00	450	212
T5×200	200.00	80	40	T5×575	575.00	150	115	T5×1075	1075.00	140	215
T5×210	210.00	200	42	T5×580	580.00	450	116	T5×1100	1100.00	200	220
T5×215	215.00	100	43	T5×585	585.00	450	117	T5×1120	1120.00	450	224
T5×220	220.00	200	44	T5×600	600.00	150	120	T5×1140	1140.00	450	228
T5×225	225.00	200	45	T5×610	610.00	150	122	T5×1200	1200.00	450	240
T5×240	240.00	200	48	T5×620	620.00	200	124	T5×1215	1215.00	450	243
T5×250	250.00	60	50	T5×630	630.00	150	126	T5X1270	1270.00	450	254
T5×255	255.00	200	51	T5×635	635.00	450	127	T5×1300	1300.00	450	260
T5×260	260.00	450	52	T5×650	650.00	450	130	T5x1325	1325.00	450	265
T5×270	270.00	450	54	T5×665	665.00	450	133	T5×1380	1380.00	450	276
T5×275	275.00	450	55	T5×675	675.00	150	135	T5×1390	1390.00	450	278
T5×280	280.00	450	56	T5×685	685.00	150	137	T5×1415	1415.00	450	283
T5×295	295.00	450	59	T5×690	690.00	110	138	T5×1520	1520.00	450	304
T5×300	300.00	450	60	T5×700	700.00	150	140	T5X1630	1630.00	450	326
T5×305	305.00	450	61	T5×710	710.00	450	142	T5x1740	1740.00	450	348
T5×310	310.00	450	62	T5×720	720.00	90	144	T5×1760	1760.00	450	352
T5×325	325.00	450	65	T5×725	725.00	450	145	T5×1800	1800.00	200	360
T5×330	330.00	450	66	T5×740	740.00	200	148	T5×1880	1880.00	450	376
T5×340	340.00	450	68	T5×750	750.00	220	150	T5×1900	1900.00	450	380
T5×350	350.00	450	70	T5×780	780.00	150	156	T5×1940	1940.00	450	388
T5×355	355.00	450	71	T5×790	790.00	450	158	T5×1960	1960.00	200	392
T5×365	365.00	450	73	T5×800	800.00	150	160	T5×2120	2120.00	450	424
T5×375	375.00	200	75	T5×805	805.00	450	161	T5×2220	2220.00	250	444
T5×390	390.00	450	78	T5×810	810.00	150	162	T5×2260	2280.00	450	452
T5×400	400.00	450	80	T5×815	815.00	450	163	T5×2280	2280.00	450	456
T5×410	410.00	450	82	T5×840	840.00	450	168	T5×3060	3060.00	450	612
T5×420	420.00	450	84	T5×850	850.00	450	170	T5×3255	3255.00	250	651
T5×450	450.00	450	90	T5×860	860.00	150	172	T5x3290	3290.00	450	658
T5×455	455.00	450	91	T5×885	885.00	450	177	T5×3540	3540.00	450	708
T5×475	475.00	450	95	T5×900	900.00	200	180	T5×3750	3750.00	450	750
T5×480	480.00	450	96	T5×910	910.00	450	182	T5×4075	4075.00	450	815
T5×500	500.00	200	100	T5×940	940.00	190	188				
T5×505	505.00	450	101	T5×990	990.00	140	198				
T5×510	510.00	150	102	T5×995	995.00	450	199				
T5×525	525.00	200	105	T5×1000	1000.00	200	200				

T5×500--T5×1415有双面齿供应, 宽度参照如下 (mm)

T5×500 200	T5×570 200	T5×635 200	T5×720 90	T5×810 150	T5×940 180	T5×1060 180	T5×1300 180
T5×505 200	T5×575 150	T5×650 200	T5×725 200	T5×815 90	T5×990 140	T5×1075 150	T5×1325 180
T5×510 150	T5×580 200	T5×665 200	T5×740 200	T5×840 200	T5×995 180	T5×1100 180	T5×1380 180
T5×525 200	T5×585 200	T5×675 150	T5×750 200	T5×850 200	T5×1000 180	T5×1120 180	T5×1390 180
T5×540 200	T5×600 150	T5×685 150	T5×780 150	T5×860 150	T5×1020 180	T5×1140 180	T5×1415 180
T5×545 150	T5×610 150	T5×690 110	T5×790 200	T5×885 200	T5×1030 180	T5×1200 180	
T5×550 200	T5×620 200	T5×700 150	T5×800 150	T5×900 180	T5×1045 180	T5×1215 180	
T5×560 200	T5×630 150	T5×710 200	T5×805 200	T5×910 180	T5×1050 180	T5×1270 180	



# T10 型 ( 节距=10.00mm ) Belt T 10 ( Pitch=10.00mm )



T10				T10				T10			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
T10×260	260.00	160	26	T10×1050	1050.00	450	105	T10×2340	2340.00	450	234
T10×320	320.00	200	32	T10×1080	1080.00	200	108	T10×2360	2360.00	190	236
T10×340	340.00	200	34	T10×1100	1100.00	450	110	T10×2380	2380.00	190	238
T10×370	370.00	450	37	T10×1110	1110.00	450	111	T10×2430	2430.00	450	243
T10×400	400.00	450	40	T10×1140	1140.00	200	114	T10×2480	2480.00	440	248
T10×410	410.00	450	41	T10×1150	1150.00	450	115	T10×2500	2500.00	190	250
T10×440	440.00	450	44	T10×1200	1200.00	450	120	T10×2540	2540.00	450	254
T10×450	450.00	450	45	T10×1210	1210.00	450	121	T10×2590	2590.00	190	259
T10×460	460.00	450	46	T10×1240	1240.00	450	124	T10×2600	2600.00	450	260
T10×480	480.00	450	48	T10×1250	1250.00	450	125	T10×2610	2610.00	250	261
T10×500	500.00	450	50	T10×1260	1260.00	190	126	T10×2650	2650.00	240	265
T10×530	530.00	450	53	T10×1280	1280.00	200	128	T10×2700	2700.00	450	270
T10×540	540.00	140	54	T10×1300	1300.00	200	130	T10×2800	2800.00	440	280
T10×550	550.00	450	55	T10×1320	1320.00	450	132	T10×2880	2880.00	250	288
T10×560	560.00	450	56	T10×1350	1350.00	450	135	T10×3000	3000.00	250	300
T10×580	580.00	450	58	T10×1390	1390.00	450	139	T10×3040	3040.00	450	304
T10×600	600.00	450	60	T10×1400	1400.00	190	140	T10×3100	3100.00	450	310
T10×610	610.00	150	61	T10×1420	1420.00	200	142	T10×3230	3230.00	450	323
T10×630	630.00	450	63	T10×1440	1440.00	450	144	T10×3300	3300.00	200	330
T10×650	650.00	450	65	T10×1450	1450.00	200	145	T10×3340	3340.00	450	334
T10×660	660.00	450	66	T10×1460	1460.00	450	146	T10×3500	3500.00	250	350
T10×690	690.00	450	69	T10×1480	1480.00	250	148	T10×3600	3600.00	250	360
T10×700	700.00	450	70	T10×1500	1500.00	450	150	T10×3680	3680.00	250	368
T10×720	720.00	450	72	T10×1520	1520.00	200	152	T10×3870	3870.00	250	387
T10×730	730.00	200	73	T10×1560	1560.00	190	156	T10×4040	4040.00	250	404
T10×750	750.00	150	75	T10×1600	1600.00	190	160	T10×4280	4280.00	450	428
T10×770	770.00	200	77	T10×1610	1610.00	450	161	T10×4680	4680.00	250	468
T10×780	780.00	450	78	T10×1640	1640.00	450	164	T10×5060	5060.00	250	506
T10×800	800.00	450	80	T10×1690	1690.00	250	169	T10×5360	5360.00	250	536
T10×810	810.00	450	81	T10×1700	1700.00	200	170	T10×5670	5670.00	250	567
T10×840	840.00	140	84	T10×1750	1750.00	450	175	T10×6000	6000.00	450	600
T10×850	850.00	200	85	T10×1780	1780.00	190	178	T10×6290	6290.00	250	629
T10×880	880.00	200	88	T10×1800	1800.00	190	180	T10×7000	7000.00	250	700
T10×890	890.00	150	89	T10×1860	1860.00	250	186	T10×7050	7050.00	250	705
T10×900	900.00	450	90	T10×1880	1880.00	450	188				
T10×910	910.00	450	91	T10×1960	1960.00	450	196				
T10×920	920.00	450	92	T10×1980	1980.00	450	198				
T10×950	950.00	190	95	T10×2020	2020.00	450	202				
T10×960	960.00	150	96	T10×2080	2080.00	190	208				
T10×970	970.00	200	97	T10×2090	2090.00	200	209				
T10×980	980.00	450	98	T10×2100	2100.00	190	210				
T10×1000	1000.00	450	100	T10×2200	2200.00	200	220				
T10×1010	1010.00	450	101	T10×2250	2250.00	450	225				
T10×1030	1030.00	450	103	T10×2270	2270.00	200	227				
T10×1040	1040.00	450	104	T10×2300	2300.00	200	230				


T10×900--T10×3000有双面齿供应, 宽度为180mm



**T20 型 (节距=20.00mm)**  
**BeltT20 (Pitch=20.00mm)**

**AT5 型 (节距=5.00mm)**  
**BeltAT5 (Pitch=5.00mm)**

**AT10 型 (节距=10.00mm)**  
**BeltAT10 (Pitch=10.00mm)**



T20

AT5

AT10

T20				AT5				AT10			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
T20×880	880.00	430	44	AT5×225	225.00	--	45	AT10×500	500.00	450	50
T20×1180	1180.00	250	59	AT5×255	255.00	--	51	AT10×560	560.00	450	56
T20×1220	1220.00	240	61	AT5×280	280.00	--	56	AT10×580	580.00	450	58
T20×1240	1240.00	180	62	AT5×300	300.00	--	60	AT10×660	660.00	450	66
T20×1260	1260.00	240	63	AT5×305	305.00	--	61	AT10×730	730.00	450	73
T20×1280	1280.00	180	64	AT5×340	340.00	--	68	AT10×840	840.00	450	84
T20×1460	1460.00	230	73	AT5×375	375.00	--	65	AT10×920	920.00	450	92
T20×1600	1600.00	430	80	AT5×390	390.00	--	78	AT10×960	960.00	200	96
T20×1680	1680.00	230	84	AT5×420	420.00	--	84	AT10×1010	1010.00	200	101
T20×1700	1700.00	220	85	AT5 x 545	545.00	--	109	AT10×1150	1150.00	450	115
T20×1780	1780.00	280	89	AT5×455	455.00	--	91	AT10×1210	1210.00	200	121
T20×1880	1880.00	230	94	AT5×500	500.00	--	100	AT10×1240	1240.00	450	124
T20×2040	2040.00	230	102	AT5×545	545.00	--	109	AT10×1250	1250.00	450	125
T20×2200	2200.00	230	110	AT5×600	600.00	--	120	AT10×1280	1280.00	200	128
T20×2240	2240.00	230	112	AT5×610	610.00	--	122	AT10×1320	1320.00	450	132
T20×2600	2600.00	220	130	AT5×630	630.00	--	126	AT10×1500	1500.00	450	150
T20×2720	2720.00	220	136	AT5×660	660.00	--	132	AT10X1610	1610.00	450	161
T20×2740	2740.00	200	137	AT5 x690	690.00	--	138	AT10×1800	1800.00	250	180
T20×2760	2760.00	180	138	AT5×710	710.00	--	142	AT10×1940	1940.00	450	194
T20×3100	3100.00	430	155	AT5×750	750.00	--	150	AT10×2000	2000.00	250	200
T20×3620	3620.00	230	181	AT5×780	780.00	--	156	AT10x2250	2250.00	450	225
T20×4760	4760.00	230	238	AT5×825	825.00	--	165	AT10×2590	2590.00	450	259
T20×5000	5000.00	180	250	AT5×975	975.00	--	195	AT10×2880	2880.00	450	288
				AT5×1050	1050.00	--	210	AT10×3080	3080.00	450	308
				AT5×1125	1125.00	--	225	AT10×3150	3150.00	250	315
				AT5×1520	1520.00	--	304	AT10×3340	3340.00	450	334
								AT10×4030	4030.00	370	403


T20×1700--T20×5000有双面齿供应, 宽度为180mm




AT20 型 (节距=20.00mm)  
BeltAT20 (Pitch=20.00mm)

HTD-2M 型 (节距=2.00mm)  
BeltHTD-2M (Pitch=2.00mm)


HTD-3M 型 (节距=3.00mm)  
BeltHTD-3M (Pitch=3.00mm)



AT20



HTD-2M



HTD-3M

AT20				HTD-2M				HTD-3M			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
AT20×1000	1000.00	450	50	72-2M	72.00	160	38	60-3M	60.00	60	20
AT20×1080	1080.00		54	98-2M	98.00	160	49	81-3M	81.00	60	27
AT20×1100	1100.00	450	55	100-2M	100.00	160	50	87-3M	87.00	160	29
AT20×1240	1240.00		62	102-2M	102.00	160	51	90-3M	90.00	150	30
AT20×1280	1280.00		64	112-2M	112.00	160	56	99-3M	99.00	160	33
AT20×1320	1320.00		66	130-2M	130.00	200	65	102-3M	102.00	160	34
AT20×1460	1460.00		73	132-2M	132.00	160	66	111-3M	111.00	160	37
AT20×1700	1700.00	250	85	154-2M	154.00	200	77	117-3M	117.00	100	39
AT20×1780	1780.00		89	162-2M	162.00	160	81	120-3M	120.00	200	40
AT20×1880	1880.00		94	176-2M	176.00	160	88	126-3M	126.00	160	42
AT20×1900	1900.00	250	95	180-2M	180.00	200	90	129-3M	129.00	100	43
AT20×2360	2360.00	250	118	194-2M	194.00	200	97	132-3M	132.00	160	44
AT20×2600	2600.00		130	208-2M	208.00	200	104	138-3M	138.00	160	46
AT20×2760	2760.00		138	210-2M	210.00	200	105	141-3M	141.00	200	47
AT20×3100	3100.00		155	214-2M	214.00	200	107	144-3M	144.00	100	48
AT20×3620	3620.00		181	216-2M	216.00	200	108	150-3M	150.00	160	50
AT20×4760	4760.00		238	250-2M	250.00	200	125	153-3M	153.00	160	51
AT20×7600	7600.00		380	260-2M	260.00	450	130	156-3M	156.00	200	52
				270-2M	270.00	200	135	159-3M	159.00	200	53
				292-2M	292.00	450	146	162-3M	162.00	200	54
				336-2M	336.00	450	168	165-3M	165.00	100	55
				340-2M	340.00	450	170	168-3M	168.00	200	56
				360-2M	360.00	450	180	171-3M	171.00	200	57
				388-2M	388.00	450	194	174-3M	174.00	160	58
				404-2M	404.00	450	202	177-3M	177.00	200	59
				460-2M	460.00	450	230	180-3M	180.00	160	60
				488-2M	488.00	450	244	183-3M	183.00	200	61
				494-2M	494.00	450	247	186-3M	186.00	160	62
				506-2M	506.00	450	253	189-3M	189.00	160	63
				660-2M	660.00	450	330	192-3M	192.00	160	64
				750-2M	750.00	450	375	195-3M	195.00	160	65
								198-3M	198.00	200	66
								201-3M	201.00	200	67
								204-3M	204.00	200	68
								207-3M	207.00	200	69
								210-3M	210.00	200	70
								213-3M	213.00	200	71
								222-3M	222.00	200	74
								225-3M	225.00	200	75
								228-3M	228.00	200	76
								234-3M	234.00	200	78
								237-3M	237.00	200	79
								240-3M	240.00	200	80
								246-3M	246.00	200	82
								249-3M	249.00	450	83


939-3M--1401-3M有双面齿供应, 宽度为180mm



HTD-3M				HTD-3M				HTD-3M			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
252-3M	252.00	450	84	462-3M	462.00	450	154	720-3M	720.00	450	240
255-3M	255.00	450	85	468-3M	468.00	450	156	750-3M	750.00	200	250
258-3M	258.00	450	86	471-3M	471.00	450	157	753-3M	753.00	450	251
261-3M	261.00	450	87	474-3M	474.00	450	158	801-3M	801.00	450	267
264-3M	264.00	450	88	477-3M	477.00	450	159	804-3M	804.00	450	268
267-3M	267.00	450	89	480-3M	480.00	150	160	813-3M	813.00	140	271
270-3M	270.00	450	90	483-3M	483.00	450	161	822-3M	822.00	450	274
276-3M	276.00	450	92	486-3M	486.00	450	162	843-3M	843.00	200	281
282-3M	282.00	450	94	489-3M	489.00	450	163	885-3M	885.00	200	295
285-3M	285.00	450	95	492-3M	492.00	450	164	939-3M	939.00	200	313
288-3M	288.00	450	96	495-3M	495.00	450	165	1026-3M	1026.00	450	342
291-3M	291.00	450	97	501-3M	501.00	200	167	1125-3M	1125.00	200	375
294-3M	294.00	450	98	507-3M	507.00	450	169	1176-3M	1176.00	450	392
297-3M	297.00	450	99	510-3M	510.00	450	170	1209-3M	1209.00	450	403
300-3M	300.00	450	100	513-3M	513.00	450	171	1245-3M	1245.00	190	415
306-3M	306.00	450	102	519-3M	519.00	450	173	1263-3M	1263.00	200	421
309-3M	309.00	450	103	522-3M	522.00	450	174	1344-3M	1344.00	200	448
312-3M	312.00	450	104	531-3M	531.00	450	177	1401-3M	1401.00	200	467
318-3M	318.00	450	106	537-3M	537.00	450	179	1569-3M	1569.00	450	523
324-3M	324.00	450	108	540-3M	540.00	450	180	1587-3M	1587.00	450	529
327-3M	327.00	450	109	558-3M	558.00	450	186	1800-3M	1800.00	450	600
330-3M	330.00	450	110	564-3M	564.00	200	188	1950-3M	1950.00	450	650
333-3M	333.00	450	111	570-3M	570.00	450	190	2160-3M	2160.00	450	720
336-3M	336.00	450	112	573-3M	573.00	450	191	2388-3M	2388.00	450	796
339-3M	339.00	450	113	576-3M	576.00	450	192	2640-3M	2640.00	450	880
342-3M	342.00	450	114	579-3M	579.00	450	193	3000-3M	3000.00	450	1000
345-3M	345.00	100	115	582-3M	582.00	200	194	3210-3M	3210.00	450	1070
348-3M	348.00	200	116	591-3M	591.00	450	197	3390-3M	3390.00	450	1130
357-3M	357.00	450	119	597-3M	597.00	450	199	6804-3M	6804.00	450	2268
360-3M	360.00	450	120	600-3M	600.00	450	200				
363-3M	363.00	450	121	606-3M	606.00	450	202				
366-3M	366.00	450	122	609-3M	609.00	450	203				
375-3M	375.00	450	125	612-3M	612.00	450	204				
384-3M	384.00	450	128	630-3M	630.00	450	210				
390-3M	390.00	450	130	633-3M	633.00	200	211				
393-3M	393.00	450	131	639-3M	639.00	450	213				
396-3M	396.00	450	132	648-3M	648.00	450	216				
399-3M	399.00	450	133	654-3M	654.00	450	218				
420-3M	420.00	450	140	657-3M	657.00	450	219				
423-3M	423.00	450	141	669-3M	669.00	450	223				
426-3M	426.00	200	142	675-3M	675.00	160	225				
444-3M	444.00	450	148	684-3M	684.00	450	228				
447-3M	447.00	450	149	699-3M	699.00	130	233				
459-3M	459.00	450	153	708-3M	708.00	450	236				
456-3M	456.00	450	152	711-3M	711.00	200	237				



# HTD-5M 型 (节距=5.00mm) BeltHTD-5M (Pitch=5.00mm)




HTD-5M

HTD-5M				HTD-5M				HTD-5M			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
180-5M	180.00	200	36	470-5M	470.00	450	94	750-5M	750.00	450	150
200-5M	200.00	200	40	475-5M	475.00	450	95	755-5M	755.00	220	151
210-5M	210.00	200	42	480-5M	480.00	450	96	770-5M	770.00	220	154
215-5M	215.00	200	43	490-5M	490.00	450	98	775-5M	775.00	450	155
225-5M	225.00	200	45	500-5M	500.00	450	100	780-5M	780.00	450	156
230-5M	230.00	450	46	505-5M	505.00	450	101	790-5M	790.00	450	158
235-5M	235.00	200	47	510-5M	510.00	450	102	800-5M	800.00	450	160
245-5M	245.00	450	49	520-5M	520.00	450	104	810-5M	810.00	450	162
250-5M	250.00	150	50	525-5M	525.00	450	105	825-5M	825.00	200	165
255-5M	255.00	200	51	530-5M	530.00	450	106	830-5M	830.00	450	166
260-5M	260.00	450	52	535-5M	535.00	450	107	835-5M	835.00	450	167
265-5M	265.00	450	53	540-5M	540.00	450	108	850-5M	850.00	200	170
270-5M	270.00	450	54	550-5M	550.00	450	110	860-5M	860.00	450	172
280-5M	280.00	450	56	560-5M	560.00	450	112	870-5M	870.00	450	174
285-5M	285.00	450	57	565-5M	565.00	200	113	890-5M	890.00	250	178
295-5M	295.00	450	59	570-5M	570.00	450	114	900-5M	900.00	450	180
300-5M	300.00	450	60	575-5M	575.00	450	115	910-5M	910.00	450	182
305-5M	305.00	450	61	580-5M	580.00	450	116	920-5M	920.00	450	184
310-5M	310.00	450	62	585-5M	585.00	450	117	925-5M	925.00	450	185
320-5M	320.00	450	64	590-5M	590.00	450	118	935-5M	935.00	450	187
325-5M	325.00	450	65	600-5M	600.00	450	120	940-5M	940.00	450	188
330-5M	330.00	200	66	605-5M	605.00	450	121	950-5M	950.00	450	190
340-5M	340.00	450	68	610-5M	610.00	450	122	960-5M	960.00	200	192
345-5M	345.00	450	69	615-5M	615.00	450	123	965-5M	965.00	450	193
350-5M	350.00	200	70	620-5M	620.00	450	124	975-5M	975.00	450	195
360-5M	360.00	450	72	625-5M	625.00	200	125	980-5M	980.00	450	196
365-5M	365.00	450	73	630-5M	630.00	450	126	1000-5M	1000.00	450	200
370-5M	370.00	450	74	635-5M	635.00	200	127	1025-5M	1025.00	200	205
375-5M	375.00	450	75	640-5M	640.00	450	128	1035-5M	1035.00	450	207
380-5M	380.00	450	76	645-5M	645.00	450	129	1050-5M	1050.00	450	210
385-5M	385.00	450	77	650-5M	650.00	450	130	1100-5M	1100.00	450	220
390-5M	390.00	450	78	655-5M	655.00	450	131	1115-5M	1115.00	450	223
395-5M	395.00	450	79	665-5M	665.00	450	133	1125-5M	1125.00	450	225
400-5M	400.00	450	80	670-5M	670.00	450	134	1135-5M	1135.00	450	227
405-5M	405.00	450	81	675-5M	675.00	450	135	1145-5M	1145.00	450	229
410-5M	410.00	450	82	685-5M	685.00	450	137	1175-5M	1175.00	450	235
420-5M	420.00	450	84	690-5M	690.00	450	138	1195-5M	1195.00	450	239
425-5M	425.00	450	85	695-5M	695.00	450	139	1180-5M	1180.00	450	236
430-5M	430.00	450	86	700-5M	700.00	450	140	1210-5M	1210.00	450	242
435-5M	435.00	450	87	710-5M	710.00	450	142	1200-5M	1200.00	450	240
440-5M	440.00	450	88	715-5M	715.00	450	143	1225-5M	1225.00	200	245
445-5M	445.00	450	89	720-5M	720.00	450	144	1250-5M	1250.00	450	250
450-5M	450.00	200	90	725-5M	725.00	450	145	1270-5M	1270.00	450	254
460-5M	460.00	450	92	740-5M	740.00	450	148	1290-5M	1290.00	200	258
465-5M	465.00	450	93	745-5M	745.00	450	149	1300-5M	1300.00	450	260

500-5M--1690-5M有双面齿供应, 宽度为180mm



# HTD-8M 型 (节距=8.00mm) BeltHTD-8M (Pitch=8.00mm)




HTD-8M

HTD-5M				HTD-8M				HTD-8M			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
1340-5M	1340.00	450	268	184-8M	184.00	200	23	840-8M	840.00	450	105
1350-5M	1350.00	450	270	288-8M	288.00	450	36	848-8M	848.00	450	106
1375-5M	1375.00	450	275	320-8M	320.00	450	40	856-8M	856.00	450	107
1400-5M	1400.00	450	280	328-8M	328.00	200	41	864-8M	864.00	450	108
1410-5M	1410.00	450	282	336-8M	336.00	200	42	872-8M	872.00	450	109
1420-5M	1420.00	200	284	368-8M	368.00	450	46	880-8M	880.00	450	110
1450-5M	1450.00	450	290	376-8M	376.00	450	47	896-8M	896.00	450	112
1455-5M	1455.00	450	291	384-8M	384.00	450	48	912-8M	912.00	450	114
1500-5M	1500.00	450	300	400-8M	400.00	450	50	920-8M	920.00	450	115
1595-5M	1595.00	200	319	408-8M	408.00	450	51	928-8M	928.00	450	116
1600-5M	1600.00	450	320	416-8M	416.00	450	52	936-8M	936.00	450	117
1685-5M	1685.00	450	337	424-8M	424.00	450	53	944-8M	944.00	450	118
1690-5M	1690.00	450	338	440-8M	440.00	450	55	952-8M	952.00	450	119
1700-5M	1700.00	450	340	448-8M	448.00	450	56	960-8M	960.00	450	120
1730-5M	1730.00	450	346	472-8M	472.00	450	59	968-8M	968.00	450	121
1770-5M	1770.00	450	354	480-8M	480.00	450	60	976-8M	976.00	450	122
1790-5M	1790.00	450	358	512-8M	512.00	450	64	1000-8M	1000.00	450	125
1800-5M	1800.00	200	360	520-8M	520.00	450	65	1016-8M	1016.00	450	127
1870-5M	1870.00	250	374	536-8M	536.00	450	67	1024-8M	1024.00	450	128
1895-5M	1895.00	440	379	544-8M	544.00	450	68	1040-8M	1040.00	450	130
1945-5M	1945.00	450	389	560-8M	560.00	450	70	1056-8M	1056.00	450	132
2000-5M	2000.00	450	400	568-8M	568.00	450	71	1064-8M	1064.00	450	133
2050-5M	2050.00	450	410	576-8M	576.00	450	72	1080-8M	1080.00	450	135
2100-5M	2100.00	450	420	584-8M	584.00	450	73	1088-8M	1088.00	450	136
2160-5M	2160.00	450	432	592-8M	592.00	450	74	1104-8M	1104.00	450	138
2250-5M	2250.00	450	450	600-8M	600.00	450	75	1112-8M	1112.00	450	139
2350-5M	2350.00	450	470	608-8M	608.00	450	76	1120-8M	1120.00	450	140
2370-5M	2370.00	450	474	624-8M	624.00	450	78	1128-8M	1128.00	450	141
2460-5M	2460.00	450	492	632-8M	632.00	450	79	1136-8M	1136.00	450	142
2525-5M	2525.00	450	505	640-8M	640.00	450	80	1152-8M	1152.00	450	144
2635-5M	2635.00	450	527	656-8M	656.00	450	82	1160-8M	1160.00	450	145
3025-5M	3025.00	450	605	680-8M	680.00	450	85	1168-8M	1168.00	450	146
3060-5M	3060.00	450	612	688-8M	688.00	450	86	1184-8M	1184.00	450	148
3255-5M	3255.00	250	651	696-8M	696.00	450	87	1192-8M	1192.00	450	149
3430-5M	3430.00	440	686	712-8M	712.00	450	89	1200-8M	1200.00	450	150
3660-5M	3660.00	440	732	720-8M	720.00	450	90	1208-8M	1208.00	450	151
3750-5M	3750.00	240	750	728-8M	728.00	450	91	1216-8M	1216.00	450	152
3770-5M	3770.00	440	754	736-8M	736.00	450	92	1224-8M	1224.00	450	153
3800-5M	3800.00	450	760	760-8M	760.00	450	95	1240-8M	1240.00	450	155
4260-5M	4260.00	440	852	776-8M	776.00	450	97	1248-8M	1248.00	450	156
5300-5M	5300.00	440	1060	784-8M	784.00	450	98	1256-8M	1256.00	450	157
7000-5M	7000.00	250	1400	792-8M	792.00	450	99	1264-8M	1264.00	450	158
				800-8M	800.00	450	100	1272-8M	1272.00	450	159
				816-8M	816.00	450	102	1280-8M	1280.00	450	160
				824-8M	824.00	450	103	1304-8M	1304.00	450	163

512-8M--4400-8M有双面齿供应, 宽度为180mm



# HTD-14M 型 ( 节距=14.00mm) BeltHTD-14M ( Pitch=14.00mm)



HTD-14M


HTD-8M				HTD-8M				HTD-14M			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
1312-8M	1312.00	450	164	2248-8M	2248.00	440	281	938-14M	938.00	440	67
1320-8M	1320.00	450	165	2272-8M	2272.00	440	284	966-14M	966.00	440	69
1328-8M	1328.00	450	166	2304-8M	2304.00	440	288	1036-14M	1036.00	200	74
1344-8M	1344.00	450	168	2328-8M	2328.00	440	291	1050-14M	1050.00	440	75
1352-8M	1352.00	450	169	2392-8M	2392.00	440	299	1064-14M	1064.00	440	76
1360-8M	1360.00	450	170	2400-8M	2400.00	440	300	1092-14M	1092.00	440	78
1376-8M	1376.00	450	172	2504-8M	2504.00	440	313	1120-14M	1120.00	230	80
1392-8M	1392.00	450	174	2584-8M	2584.00	440	323	1148-14M	1148.00	440	82
1400-8M	1400.00	450	175	2656-8M	2656.00	440	332	1190-14M	1190.00	440	85
1416-8M	1416.00	450	177	2600-8M	2600.00	440	325	1246-14M	1246.00	440	89
1424-8M	1424.00	450	178	2736-8M	2736.00	440	342	1260-14M	1260.00	440	90
1440-8M	1440.00	440	180	2800-8M	2800.00	440	350	1288-14M	1288.00	440	92
1456-8M	1456.00	440	182	3048-8M	3048.00	440	381	1316-14M	1316.00	440	94
1465-8M	1465.00	440	183	3120-8M	3120.00	440	390	1344-14M	1344.00	440	96
1480-8M	1480.00	440	185	3168-8M	3168.00	240	396	1400-14M	1400.00	440	100
1512-8M	1512.00	440	189	3200-8M	3200.00	180	400	1414-14M	1414.00	440	101
1520-8M	1520.00	440	190	3280-8M	3280.00	440	410	1442-14M	1442.00	440	103
1536-8M	1536.00	440	192	3400-8M	3400.00	440	425	1456-14M	1456.00	440	104
1552-8M	1552.00	440	194	3600-8M	3600.00	250	450	1470-14M	1470.00	440	105
1560-8M	1560.00	440	195	3720-8M	3720.00	440	465	1484-14M	1484.00	440	106
1576-8M	1576.00	440	197	3824-8M	3824.00	440	478	1512-14M	1512.00	440	108
1600-8M	1600.00	440	200	3864-8M	3864.00	440	483	1540-14M	1540.00	440	110
1640-8M	1640.00	440	205	4000-8M	4000.00	440	500	1568-14M	1568.00	440	112
1648-8M	1648.00	440	206	4200-8M	4200.00	440	525	1610-14M	1610.00	440	115
1680-8M	1680.00	440	210	4400-8M	4400.00	180	550	1652-14M	1652.00	440	118
1696-8M	1696.00	400	212	5120-8M	5120.00	240	640	1750-14M	1750.00	440	125
1728-8M	1728.00	440	216	5600-8M	5600.00	440	700	1764-14M	1764.00	440	126
1760-8M	1760.00	440	220	5960-8M	5960.00	240	745	1778-14M	1778.00	440	127
1784-8M	1784.00	440	223	6600-8M	6600.00	190	825	1792-14M	1792.00	440	128
1792-8M	1792.00	440	224	6880-8M	6880.00	440	860	1806-14M	1806.00	240	129
1800-8M	1800.00	440	225					1820-14M	1820.00	440	130
1856-8M	1856.00	440	232					1890-14M	1890.00	440	135
1896-8M	1896.00	440	237					1932-14M	1932.00	440	138
1904-8M	1904.00	440	238					1946-14M	1946.00	440	139
1920-8M	1920.00	440	240					1960-14M	1960.00	440	140
1936-8M	1936.00	440	242					2002-14M	2002.00	440	143
1952-8M	1952.00	440	244					2100-14M	2100.00	440	150
2000-8M	2000.00	440	250					2240-14M	2240.00	180	160
2080-8M	2080.00	440	260					2310-14M	2310.00	440	165
2096-8M	2096.00	440	262					2450-14M	2450.00	440	175
2104-8M	2104.00	440	263					2590-14M	2590.00	440	185
2136-8M	2136.00	440	267					2660-14M	2660.00	440	190
2160-8M	2160.00	440	270					2800-14M	2800.00	440	200
2208-8M	2208.00	440	276					3108-14M	3108.00	230	222
2240-8M	2240.00	440	280					3150-14M	3150.00	430	225

1610-14M--6860-14M有双面齿供应, 宽度为180mm




HTD-20M 型 ( 节距=20.00mm)  
BeltHTD-20M ( Pitch=20.00mm)

STPD/STS-S2M 型 ( 节距=2.00mm )  
BeltSTPD/STS-S2M ( pitch=2.00mm )



HTD-20M



STPD/STS-S2M

HTD-14M				HTD-20M				STPD/STS-S2M			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
3304-14M	3304.00	430	236	2000-20M	2000.00	430	100	S2M-60	60.00	60	30
3360-14M	3360.00	430	240	2140-20M	2140.00	430	107	S2M-80	80.00	150	40
3500-14M	3500.00	430	250	2500-20M	2500.00	430	125	S2M-96	96.00	100	48
3668-14M	3668.00	430	262	3200-20M	3200.00	250	160	S2M-110	110.00	100	55
3850-14M	3850.00	430	275	3220-20M	3220.00	250	161	S2M-120	120.00	160	60
4326-14M	4326.00	180	309	3400-20M	3400.00	430	170	S2M-126	126.00	160	63
4536-14M	4536.00	430	324	4200-20M	4200.00	330	210	S2M-128	128.00	160	64
4578-14M	4578.00	230	327	4600-20M	4600.00	430	230	S2M-130	130.00	200	65
4760-14M	4760.00	210	340	5000-20M	5000.00	450	250	S2M-132	132.00	160	66
4956-14M	4956.00	430	354	5200-20M	5200.00	430	300	S2M-134	134.00	200	67
5040-14M	5040.00	430	360	5500-20M	5500.00	430	275	S2M-138	138.00	160	69
5320-14M	5320.00	430	380	6000-20M	6000.00	430	300	S2M-146	146.00	160	73
5740-14M	5740.00	430	410	6560-20M	6560.00	430	328	S2M-152	152.00	200	76
5936-14M	5936.00	430	424					S2M-156	156.00	150	78
6160-14M	6160.00	430	440					S2M-160	160.00	200	80
6860-14M	6860.00	430	490					S2M-168	168.00	200	84
								S2M-180	180.00	200	90
								S2M-182	182.00	160	91
								S2M-184	184.00	200	92
								S2M-186	186.00	200	93
								S2M-192	192.00	200	96
								S2M-194	194.00	160	97
								S2M 198	198.00	200	99
								S2M-200	200.00	200	100
								S2M-202	202.00	200	101
								S2M-204	204.00	200	102
								S2M-224	224.00	200	112
								S2M-234	234.00	200	117
								S2M-236	236.00	200	118
								S2M-240	240.00	200	120
								S2M-244	244.00	450	122
								S2M-250	250.00	200	125
								S2M-260	260.00	450	130
								S2M-264	264.00	450	132
								S2M-288	288.00	450	144
								S2M-316	316.00	450	158
								S2M-354	354.00	450	177
								S2M-420	420.00	450	210
								S2M-494	494.00	450	247
								S2M-580	580.00	450	290
								S2M-3000	3000.00	450	1500
								S2M-3700	3700.00	450	1850



# G 固特异PowerSpan V型带产品系列

## Goodyear PowerSpan V-Belt Sections



汲取固特异在传送带产品上先进的研发经验，固特异Powerspan运用特殊的聚脂硬线和固特异独创的橡胶配方，采用膨胀鼓模具生产。固特异Powerspan继承了固特异既有的高品质，有着优良的性能和特征，包括：

To combine Goodyear's advanced research experience in belts production, Goodyear Powerspan is made by molded manufacturing process with specialize stiff polyester cord and Goodyear's original rubber recipe. Goodyear Powerspan inherits Goodyear high performance quality ,the belts enjoy its excellent product features and attributes:


- 模具化生产消除尺寸误差
- 强力硬聚脂抗拉线绳
- 挠曲度高，耐久性好
- 耐油、耐热、耐臭氧、耐磨
- 传动效率高
- 摩擦系数小，传动效果大
- 可选用抗静电配方产品

- Molded manufacture eliminate mismatch
- strong stiff cord tensile members
- High flexibility, good durability
- Oil , heat, ozone and abrasion resistant
- High transmission efficiency
- Small friction coefficient and large transmission effect
- available for static conductive

### 产品技术参数表 Products Technical Data Sheet

型 号 Type	拉伸强度 /KN Tension force ≥	参考力伸长率/% Elongation % ≤		线绳粘合强度(KN/m) ≥ Cord agglutinate intensity		布与顶胶间粘合强度/ Envelope & top Rubber agglutinate intensity (KN/m) ≥
		包布V带 Wrapped V belt	切边V带 Raw edge V belt	包布V带 Wrapped V belt	切边V带 Raw edge V belt	
A	3.5	4	5	17	28	2.0
B	6.0	4		21	28	
C	10	4		27	35	
D	18	5	5	31		
E	23	5		31		
SPZ、3V	3.0	3		15	15	
SPA	3.5	3	5	17	25	
SPB、5V	6.0	3		21	28	
SPC、	10.5	3		27	28	
8V	12.7	3		31	35	





**STPD/STS-S3M 型 (节距=3.00mm)**  
**BeltSTPD/STS-S3M (pitch=3.00mm)**



STPD/STS-S3M

STPD/STS-S3M				STPD/STS-S3M				STPD/STS-S3M			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
S3M-120	120.00	100	40	S3M-345	345.00	450	115	S3M-4395	4395.00	450	1465
S3M-129	129.00	160	43	S3M-351	351.00	450	117	S3M-4704	4704.00	450	1568
S3M-144	144.00	160	48	S3M-354	354.00	450	118	S3M-6510	6510.00	450	2170
S3M-150	150.00	160	50	S3M-357	357.00	450	119				
S3M-156	156.00	200	52	S3M-360	360.00	450	120				
S3M-162	162.00	200	54	S3M-363	363.00	450	121				
S3M-165	165.00	160	55	S3M-369	369.00	450	123				
S3M-171	171.00	200	57	S3M-384	384.00	450	128				
S3M-174	174.00	160	58	S3M-405	405.00	450	135				
S3M-177	177.00	200	59	S3M-408	408.00	150	136				
S3M-180	180.00	200	60	S3M-417	417.00	450	139				
S3M-186	186.00	200	62	S3M-420	420.00	450	140				
S3M-189	189.00	200	63	S3M-432	432.00	450	144				
S3M-192	192.00	200	64	S3M-447	447.00	200	149				
S3M-201	201.00	200	67	S3M-453	453.00	450	151				
S3M-204	204.00	200	68	S3M-459	459.00	450	153				
S3M-207	207.00	200	69	S3M-465	465.00	450	155				
S3M-210	210.00	200	70	S3M-468	468.00	450	156				
S3M-213	213.00	200	71	S3M-486	486.00	450	162				
S3M-219	219.00	200	73	S3M-501	501.00	450	167				
S3M-222	222.00	200	74	S3M-504	504.00	450	168				
S3M-225	225.00	200	75	S3M-507	507.00	450	169				
S3M-231	231.00	200	77	S3M-537	537.00	450	179				
S3M-234	234.00	200	78	S3M-564	564.00	450	188				
S3M-237	237.00	450	79	S3M-573	573.00	450	191				
S3M-240	240.00	200	80	S3M-585	585.00	200	195				
S3M-246	246.00	450	82	S3M-597	597.00	200	199				
S3M-249	249.00	200	83	S3M-606	606.00	450	202				
S3M-252	252.00	450	84	S3M-621	621.00	450	207				
S3M-255	255.00	450	85	S3M-633	633.00	200	211				
S3M-264	264.00	450	88	S3M-636	636.00	200	212				
S3M-267	267.00	450	89	S3M-651	651.00	450	217				
S3M-276	276.00	100	92	S3M-657	657.00	450	219				
S3M-288	288.00	450	96	S3M-660	660.00	200	220				
S3M-291	291.00	450	97	S3M-666	666.00	450	222				
S3M-294	294.00	450	98	S3M-690	690.00	450	230				
S3M-297	297.00	450	99	S3M-699	699.00	450	233				
S3M-300	300.00	450	100	S3M-714	714.00	200	238				
S3M-312	312.00	450	104	S3M-750	750.00	450	240				
S3M-318	318.00	450	106	S3M-804	804.00	450	268				
S3M-321	321.00	450	107	S3M-894	894.00	450	298				
S3M-327	327.00	450	109	S3M-1050	1050.00	450	350				
S3M-330	330.00	450	110	S3M-1125	1125.00	450	375				
S3M-333	333.00	450	111	S3M-1422	1422.00	450	474				
S3M-339	339.00	200	113	S3M-1596	1596.00	450	532				



STPD/STS-S4.5M 型(节距=4.50mm)  
STPD/STS-S4.5M (Pitch=4.50mm)

STPD/STS-S5M 型 (节距=5.00mm)  
BeltSTPD/STS-S5M (Pitch=5.00mm)



STPD/STS-S4.5M


STPD/STS-S5M

STPD/STS-S4.5M				STPD/STS-S5M				STPD/STS-S5M			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
S4.5M-180	180.00	100	40	S5M-150	150.00	150	30	S5M-1100	1100.00	450	220
S4.5M-198	198.00	200	44	S5M-200	200.00	200	40	S5M-1050	1050.00	450	210
S4.5M-225	225.00	200	50	S5M-250	250.00	450	50	S5M-1125	1125.00	450	225
S4.5M-239	239.00	200	53	S5M-255	255.00	200	51	S5M-1145	1145.00	450	229
S4.5M-252	252.00	200	56	S5M-265	265.00	450	53	S5M-1225	1225.00	450	245
S4.5M-275	275.00	200	61	S5M-270	270.00	450	54	S5M-1270	1270.00	450	254
S4.5M-279	279.00	200	62	S5M-285	285.00	450	57	S5M-1350	1350.00	450	270
S4.5M-284	284.00	200	63	S5M-295	295.00	200	59	S5M-1800	1800.00	250	360
S4.5M-297	297.00	200	66	S5M-320	320.00	450	64	S5M-2000	2000.00	450	400
S4.5M-315	315.00	110	70	S5M-325	325.00	200	65	S5M-3070	3070.00	450	614
S4.5M-329	329.00	200	73	S5M-345	345.00	450	69	S5M-4000	4000.00	450	800
S4.5M-333	333.00	450	74	S5M-350	350.00	450	70				
S4.5M-338	338.00	200	75	S5M-375	375.00	450	75				
S4.5M-342	342.00	450	76	S5M-390	390.00	450	78				
S4.5M-351	351.00	450	78	S5M-400	400.00	450	80				
S4.5M-360	360.00	150	80	S5M-410	410.00	450	82				
S4.5M-369	369.00	450	82	S5M-425	425.00	450	85				
S4.5M-387	387.00	450	86	S5M-450	450.00	450	90				
S4.5M-396	396.00	450	88	S5M-475	475.00	450	95				
S4.5M-382	382.00	450	84	S5M-490	490.00	450	98				
S4.5M-414	414.00	450	92	S5M-500	500.00	450	100				
S4.5M-437	437.00	100	97	S5M-520	520.00	450	104				
S4.5M-450	450.00	450	100	S5M-525	525.00	450	105				
S4.5M-504	504.00	450	112	S5M-560	560.00	450	112				
S4.5M-558	558.00	450	124	S5M-565	565.00	450	113				
S4.5M-563	563.00	200	125	S5M-575	575.00	450	115				
S4.5M-630	630.00	560	140	S5M-600	600.00	450	120				
S4.5M-653	653.00	450	145	S5M-625	625.00	450	125				
S4.5M-711	711.00	450	158	S5M-650	650.00	450	130				
S4.5M-864	864.00	450	192	S5M-665	665.00	450	133				
S4.5M-905	905.00	450	201	S5M-670	670.00	450	134				
S4.5M-932	932.00	450	207	S5M-700	700.00	450	140				
				S5M-750	750.00	450	150				
				S5M-765	765.00	450	153				
				S5M-780	780.00	450	156				
				S5M-800	800.00	450	160				
				S5M-810	810.00	450	162				
				S5M-825	825.00	450	165				
				S5M-830	830.00	450	166				
				S5M-850	850.00	450	170				
				S5M-890	890.00	450	178				
				S5M-900	900.00	450	180				
				S5M-950	950.00	450	190				
				S5M-975	975.00	450	195				
				S5M-1000	1000.00	450	200				

S5M-500--S5M-1350有双面齿供应, 宽度为200mm



# STPD/STS-S8M 型 (节距=8.00mm) Belt STPD/STS-S8M (Pitch=8.00mm)




STPD/STS-S8M

STPD/STS-S8M				STPD/STS-S8M				STPD/STS-S8M			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
S8M-376	376.00	450	47	S8M-1064	1064.00	450	133	S8M-1680	1680.00	440	210
S8M-384	384.00	450	48	S8M-1080	1080.00	450	135	S8M-1696	1696.00	440	212
S8M-392	392.00	450	49	S8M-1096	1096.00	450	137	S8M-1728	1728.00	180	216
S8M-440	440.00	450	55	S8M-1104	1104.00	450	138	S8M-1760	1760.00	190	220
S8M-480	480.00	450	60	S8M-1120	1120.00	450	140	S8M-1776	1776.00	440	222
S8M-496	496.00	450	62	S8M-1128	1128.00	450	141	S8M-1800	1800.00	440	225
S8M-512	512.00	450	64	S8M-1136	1136.00	450	142	S8M-1912	1912.00	440	239
S8M-520	520.00	450	65	S8M-1152	1152.00	450	144	S8M-2000	2000.00	440	250
S8M-528	528.00	450	66	S8M-1160	1160.00	200	145	S8M-2024	2024.00	440	253
S8M-536	536.00	450	67	S8M-1168	1168.00	450	146	S8M-2032	2032.00	440	254
S8M-560	560.00	450	70	S8M-1184	1184.00	450	148	S8M-2048	2048.00	440	256
S8M-584	584.00	450	73	S8M-1192	1192.00	450	149	S8M-2104	2104.00	440	263
S8M-600	600.00	450	75	S8M-1200	1200.00	450	150	S8M-2240	2240.00	190	280
S8M-632	632.00	450	79	S8M-1208	1208.00	450	151	S8M-2304	2304.00	450	288
S8M-640	640.00	450	80	S8M-1216	1216.00	450	152	S8M-2400	2400.00	440	300
S8M-656	656.00	450	82	S8M-1224	1224.00	450	153	S8M-2432	2432.00	440	304
S8M-680	680.00	450	85	S8M-1240	1240.00	450	155	S8M-2496	2496.00	180	312
S8M-688	688.00	450	86	S8M-1248	1248.00	450	156	S8M-2536	2536.00	170	317
S8M-712	712.00	450	89	S8M-1256	1256.00	450	157	S8M-2560	2560.00	240	320
S8M-720	720.00	450	90	S8M-1264	1264.00	450	158	S8M-2600	2600.00	440	325
S8M-728	728.00	450	91	S8M-1280	1280.00	200	160	S8M-2800	2800.00	440	350
S8M-760	760.00	450	95	S8M-1296	1296.00	450	162	S8M-2880	2880.00	440	360
S8M-768	768.00	450	96	S8M-1304	1304.00	450	163	S8M-3000	3000.00	440	375
S8M-784	784.00	450	98	S8M-1312	1312.00	450	164	S8M-3200	3200.00	440	400
S8M-800	800.00	450	100	S8M-1320	1320.00	450	165	S8M-3600	3600.00	440	450
S8M-824	824.00	450	103	S8M-1344	1344.00	450	168	S8M-3720	3720.00	240	465
S8M-840	840.00	450	105	S8M-1352	1352.00	450	169	S8M-4000	4000.00	440	500
S8M-848	848.00	200	106	S8M-1360	1360.00	450	170	S8M-4680	4680.00	440	585
S8M-864	864.00	450	108	S8M-1384	1384.00	440	173	S8M-4936	4936.00	440	617
S8M-872	872.00	450	109	S8M-1392	1392.00	440	174	S8M-5080	5080.00	440	635
S8M-880	880.00	450	110	S8M-1400	1400.00	440	175	S8M-6640	6640.00	240	830
S8M-896	896.00	450	112	S8M-1424	1424.00	440	178				
S8M-912	912.00	450	114	S8M-1432	1432.00	440	179				
S8M-920	920.00	450	115	S8M-1440	1440.00	440	180				
S8M-928	928.00	450	116	S8M-1480	1480.00	440	185				
S8M-944	944.00	200	118	S8M-1512	1512.00	440	189				
S8M-960	960.00	450	120	S8M-1528	1528.00	440	191				
S8M-976	976.00	450	122	S8M-1536	1536.00	440	192				
S8M-984	984.00	450	123	S8M-1544	1544.00	440	193				
S8M-992	992.00	450	124	S8M-1552	1552.00	440	194				
S8M-1000	1000.00	450	125	S8M-1600	1600.00	440	200				
S8M-1008	1008.00	450	126	S8M-1624	1624.00	440	203				
S8M-1032	1032.00	450	129	S8M-1632	1632.00	440	204				
S8M-1040	1040.00	200	130	S8M-1648	1648.00	440	206				
S8M-1056	1056.00	450	132	S8M-1672	1672.00	440	209				


S8M-512--S8M-6640有双面齿供应, S8M-1728宽度为180mm、S8M-1760宽度为190mm、S8M-2496宽度为190mm、S8M-2536宽度为170mm、其余均为200mm




STPD/STS-S14M 型 (节距=14.00mm)  
 Belt STPD/STS-S14M (Pitch=14.00mm)  
 HPPD/RPP-2M 型 (节距=2.00mm)  
 Belt HPPD/RPP-2M (Pitch=2.00mm)  
 HPPD/RPP-3M 型 (节距=3.00mm)  
 Belt SHPPD/RPP-3M (pitch=3.00mm)



STPD/STS-S14M



HPPD/RPP-2M



HPPD/RPP-3M

STPD/STS-S14M				HPPD/RPP-2M				HPPD/RPP-3M			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
S14M-714	714	440	51	RPP2M-112	112.00	100	56	RPP3M-174	174.00	200	58
S14M-1008	1008	440	72	RPP2M-132	132.00	160	66	RPP3M-177	177.00	160	59
S14M-1036	1036	440	74	RPP2M-200	200.00	160	100	RPP3M-201	201.00	200	67
S14M-1120	1120	440	80	RPP2M-210	210.00	200	105	RPP3M-210	210.00	200	70
S14M-1190	1190	440	85	RPP2M-236	236.00	100	118	RPP3M-225	225.00	200	75
S14M-1246	1246	440	89	RPP2M-364	364.00	450	182	RPP3M-240	240.00	200	80
S14M-1400	1400	440	100	RPP2M-448	448.00	450	224	RPP3M-264	264.00	450	88
S14M-1456	1456	440	104	RPP2M-530	530.00	450	265	RPP3M-267	267.00	200	89
S14M-1540	1540	440	110					RPP3M-270	270.00	450	90
S14M-1610	1610	440	115					RPP3M-354	354.00	450	118
S14M-1652	1652	440	118					RPP3M-360	360.00	450	120
S14M-1750	1750	440	125					RPP3M-420	420.00	450	140
S14M-1806	1806	440	129					RPP3M-447	447.00	450	149
S14M-1890	1890	440	135					RPP3M-459	459.00	440	153
S14M-1960	1960	240	140					RPP3M-474	474.00	450	158
S14M-2002	2002	440	143					RPP3M-522	522.00	450	174
S14M-2100	2100	440	150					RPP3M-531	531.00	450	177
S14M-2198	2198	440	157					RPP3M-564	564.00	450	188
S14M-2240	2240	440	160								
S14M-2310	2310	440	165								
S14M-2380	2380	440	170								
S14M-2450	2450	440	175								
S14M-2590	2590	440	185								
S14M-2660	2660	440	190								
S14M-2800	2800	440	200								
S14M-2814	2814	440	201								
S14M-3150	3150	430	225								
S14M-3500	3500	430	250								
S14M-3850	3850	430	275								
S14M-4004	4004	430	286								
S14M-4410	4410	230	315								
S14M-4508	4508	430	322								
S14M-5012	5012	430	358								



RPP/HPPD-5M 型 (节距=5.00mm)


Belt RPP/HPPD-5M (Pitch=5.00mm)

RPP/HPPD-8M 型 (节距=8.00mm)


BeltRPP/HPPD-8M (Pitch=8.00mm)

HPPD/RPP-14M 型 (节距=14.00mm)


Belt SHPPD/RPP-14M (pitch=14.00mm)



RPP/HPPD-5M



RPP/HPPD-8M



RPP/HPPD-14M

HPPD/RPP-5M				HPPD/RPP-8M				HPPD/RPP-14M			
规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.	规格 Type	节线长 (mm) Pitch Length	模宽 (mm) Sleeve Width	齿数 Teeth No.
RPP5M-265	265.00	450	53	RPP8M-376	376.00	450	47	RPP14M-1064	1064	440	76
RPP5M-300	300.00	450	60	RPP8M-440	440.00	450	55	RPP14M-1288	1288	440	92
RPP5M-340	340.00	450	68	RPP8M-480	480.00	450	60	RPP14M-1610	1610	440	115
RPP5M-345	345.00	450	69	RPP8M-512	512.00	450	64	RPP14M-1764	1764	440	126
RPP5M-360	360.00	450	72	RPP8M-560	560.00	450	70	RPP14M-2100	2100	440	150
RPP5M-370	370.00	450	74	RPP8M-592	592.00	450	74	RPP14M-2800	2800	440	200
RPP5M-400	400.00	450	80	RPP8M-600	600.00	450	75	RPP14M-4326	4326	430	309
RPP5M-420	420.00	450	84	RPP8M-632	632.00	450	79				
RPP5M-450	450.00	450	90	RPP8M-640	640.00	450	80				
RPP5M-475	475.00	450	95	RPP8M-760	760.00	450	95				
RPP5M-500	500.00	450	95	RPP8M-800	800.00	450	100				
RPP5M-525	525.00	450	105	RPP8M-856	856.00	450	107				
RPP5M-550	550.00	450	110	RPP8M-880	880.00	450	110				
RPP5M-635	635.00	450	127	RPP8M-960	960.00	450	120				
RPP5M-670	670.00	450	134	RPP8M-1000	1000.00	450	125				
RPP5M-710	710.00	450	142	RPP8M-1040	1040.00	450	130				
RPP5M-740	740.00	450	148	RPP8M-1080	1080.00	450	135				
RPP5M-755	755.00	450	151	RPP8M-1120	1120.00	450	140				
RPP5M-780	780.00	450	156	RPP8M-1200	1200.00	450	150				
RPP5M-850	850.00	450	170	RPP8M-1224	1224.00	450	153				
RPP5M-860	860.00	450	172	RPP8M-1352	1352.00	450	169				
RPP5M-960	960.00	450	192	RPP8M-1440	1440.00	440	180				
RPP5M-1000	1000.00	450	200	RPP8M-1600	1600.00	440	200				
RPP5M-1100	1100.00	450	220	RPP8M-1760	1760.00	440	220				
RPP5M-1125	1125.00	450	225	RPP8M-1800	1800.00	440	225				
RPP5M-1150	1150.00	450	230	RPP8M-2032	2032.00	440	254				
				RPP8M-2104	2104.00	440	263				



## 皮带的保存 BELT STORAGE

### 一般性原则

用户、经销商和制造商一样，对皮带的保存很有兴趣。在适宜的条件下，高品质的皮带可以一直保持其初始的性能和形状。相反，不适宜的条件下会降低皮带性能，使得皮带发生形变。好的存储设施和措施可以让皮带给用户带来获得最大的效益。

传动皮带应存储于凉爽、干燥、无阳光直射的条件下。当堆在架子上时，每堆不可太大，以避免置于底部的皮带受到太大的压力而发生形变。当存储于容器中时，容器的大小和放的数量应有所限制，以防皮带变形，尤其是底部的皮带。

### 需避免的

不要把皮带放到地板上，除非有一个合适的容器保护。皮带可能会受到渗水或湿气因其它交通因素而受到破坏。

氧的电气设备旁。也要避免放在有溶剂蒸汽或其它化学品的区域。

不要把皮带置于窗边，那样皮带容易经受阳光直射或湿气。不要把皮带放在取暖器、加热器或加热装置产生的气流附近。

皮带保存时，其弯曲直径不得小于推荐的槽轮或滑轮的最小半径，反向弯曲直径不得小于最小直径的1.3倍。(关于最小直径，请参看相关的RMA-MPTA-RAC标准)

不要把皮带放在变压器、电动机或其它可能产生臭

### 保存方法

#### 1. V型带

一种常用的存储方法是把皮带放在桩上或是栓架上。很长的皮带应使用足够大的栓架或是月牙形的“马

鞍”，以防止因其重量引起形变。也可以把它们卷成一圈，这是一种简单、无形变的存储方法。以下是关于最大卷数的指南。

皮带截面类型	长度 (in)	长度 (mm)	卷数	圈数
3L, 4L, A, AX, AA 5L, B, BX, 3V 9R, 13R, 13C, 13CX, 13D 16R, 16C, 16CX, 9N	小于60	小于1,500	0	1
	60到120	1,500到3,000	1	3
	120到180	3,000到4,600	2	5
	180及以上	4,600及以上	3	7
BB, C, CX 5V 16D, 22C, 22CX 15N	小于75	小于1,900	0	1
	75到144	1,900到3,700	1	3
	144到240	3,700到6,000	2	5
	240及以上	6,000及以上	3	7
CC, D 22D, 32C	小于120	小于3,000	0	1
	120到240	3,000到6,100	1	3
	240到330	6,100到8,400	2	5
	330到420	8,400到10,600	3	7
	420及以上	10,600及以上	4	9
8V (25N)	小于180	小于4,600	0	1
	80到270	4,600到6,900	1	3
	270到390	6,900到9,900	2	5
	390到480	9,900到12,200	3	7
	480及以上	12,200及以上	4	9

\*一卷有3圈，两卷有5圈



## 皮带的保存

### BELT STORAGE

#### 保存方法(续)

##### 2. 接合型V型带、同步皮带、V型多楔带

如同V型带一样，这些皮带也应放在栓架或是马鞍上以防止变形。若长度最大不超过约120英寸(3000mm)的皮带，则一般以巢形结构运输，我们建议存储时最好保持这种结构。巢形结构是先把一根皮带放在平面上，然后在保持其受力合理的前提下向里面放入尽可能多的皮带。这种巢形结构很紧，堆放时每个巢和它下一个巢成180°，这种堆放方式对皮带没有损害。

长度大于120英寸(3000mm)的这些种类的皮带，运输时最好是先卷起来然后绑起来。然后把这些卷堆起来。要注意不能使得皮带的弯曲直径太小，那样会损害皮带的。

##### 3. 变速皮带

变速皮带对于形变要比其它种类的皮带更敏感，不推荐把它们挂在栓上或支架上。它们应放置在搁板上。推荐的运输包装的方法应该是把它们用一个“袖套”包起来，这样就比较易于堆放。

#### 保存的效果

在温度低于85°F (30°C)、环境湿度小于70%、无日光直射的情况下，皮带存储8年，质量不会有显著变化。

如果存储温度高于30°C，那么一般存储条件下的存储年限要缩短。以30°C存储8年为基准，大概每升高8°C存储年限降低一半。无论如何存储温度都不能高于46°C。

环境湿度若显著增加，则皮带上可能长出真菌或发霉。虽然这不会对性能有很大影响，但应该尽量避免。

使用皮带的设备在使用前或是空闲期一般要存储相当长一段时间(6个月或更长)，这种情况下建议让皮带松弛下来，设备也要按皮带的存储条件一样存储。若不行的话，则应把皮带卸下来单独保存。



# 技术信息 TECHNICAL INFORMATION

## 引起固特异P d皮带 过早破坏的原因

技术信息 TECHNICAL INFORMATION		纠正方法													
		检查对齐	调整张力	检查额定功率	检查皮带与带轮的兼容性	替换带轮	使用正确的带轮直径	消除或控制环境因素	清洁保护皮带	按正确的处理过程处理	重新安装、替换、修理法兰	重新装配套管和带轮	改变带轮材质	使用内面张紧皮带轮	重新设计传动
引起固特异P d皮带过早破坏的原因															
问题类型	原因														
边缘过度磨损	错位，引导不当	●													
	法兰弯曲或表面不平									●					
	处置时破坏了皮带								●						
	皮带太宽				●										
	皮带张力太小		●												
	皮带碰到了其它零件							●							
齿边缘磨损	负荷过重			●											
	皮带张力太大或太小		●												
	带轮残损或表面不平					●									
	啮合不完全	●													
	套管/带轮组合										●				
	错位				●										
	皮带和带轮不匹配					●									
	带轮已严重磨损					●									
	带轮误差超出范围														
	带轮材质太软											●			
	带轮表面有碎屑							●							
	皮带被显著拉长	中心距发生变化		●											
中心距发生波动															●
结构设计不当，或安装不当															●
带轮已严重磨损						●									
带轮表面有碎屑								●							
过度负载				●											
带轮直径小于推荐的最小值							●								
温度过高或过低(-30°F到170°F)								●							
暴露于油、溶剂、腐蚀性化学品中								●							
衬底有裂缝	温度过高或过低							●							
	带轮直径小于推荐的最小值						●								
	使用了背面张紧皮带轮												●		
	暴露于油、溶剂、腐蚀性化学品中							●							



# 技术信息 TECHNICAL INFORMATION

## 固特异P d系列 过早破坏的原因

技术信息 TECHNICAL INFORMATION		纠正方法													
		检查对齐	调整张力	检查额定功率	检查皮带与带轮的兼容性	替换带轮	使用正确的带轮直径	消除或控制环境因素	清洁保护皮带	按正确的处理过程处理	重新安装、替换、修理法兰	重新装配套管和带轮	改变带轮材质	使用内面张紧皮带轮	重新设计传动
固特异P d系列 过早破坏的原因		检查对齐	调整张力	检查额定功率	检查皮带与带轮的兼容性	替换带轮	使用正确的带轮直径	消除或控制环境因素	清洁保护皮带	按正确的处理过程处理	重新安装、替换、修理法兰	重新装配套管和带轮	改变带轮材质	使用内面张紧皮带轮	重新设计传动
问题类型	原因														
齿被剪裂	过度负载/冲击负载			●											
	带轮直径小于推荐的最小值						●								
	啮合时少于六个齿			●											
	带轮严重偏心					●									
	带轮已重要磨损					●									
	使用了背面张紧皮带轮													●	
	皮带和带轮不匹配				●										
齿边缘磨损	错位	●													
	皮带行力太大或太小		●												
	过度负载/冲击负载			●											
	带轮直径小于推荐的最小值						●								
	处置时破坏了皮带									●					
	带轮表面有碎屑								●						
	带轮严重偏心					●									
皮带被显著拉长	错位	●													
	皮带张力太大或太小		●												
	过度负载			●											
	带轮直径小于推荐的最小值						●								
	使用了背面张紧皮带轮													●	
	带轮已严重磨损					●									
	法兰已损坏									●					
	皮带速度过高														●
	皮带和带轮不匹配				●										
衬底有裂缝	错位	●													
	安装不正确									●					
衬底有裂缝	错位	●													
	中心距超过8x最小带轮直径	●													
衬底有裂缝	带轮材质偏软											●			
	过度负载			●											
	错位	●													
	带轮表面有碎屑								●						
	皮带张力太大或太小		●												
	皮带和带轮不匹配				●										
衬底有裂缝	带轮和套管的装备不当										●				
	皮带和带轮不匹配				●										
	皮带张力太大或太小		●												





固恩治工程橡胶管理（上海）有限公司

Veyance Engineered Products Management Company (Shanghai) Ltd.

电话 / Tel: (+86 21) 6163 7777

传真 / Fax: (+86 21) 6163 7722

The GOODYEAR (and Winged Foot Design) trademark is used by Veyance Technologies, Inc. under license from The Goodyear Tire & Rubber Company. Goodyear Engineered Products are manufactured and sourced exclusively by Veyance Technologies, Inc. or its affiliates. 2008 Veyance Technologies, Inc. All Rights Reserved.



# G 固特异PowerSpan V型带产品系列

## Goodyear PowerSpan V-Belt Sections

### 皮带结构与特征 Belt Structure and Character

#### 顶部织物 Top fabric

增加完整性，改善纵向强度  
Add integrity, improve longitudinal strength

#### 切边结构 Cut edge construction

更高的摩擦系数，最小的滑动，更好的功效  
Higher coefficient of friction, minimal slip, greater efficiency



#### 齿 Cogs

适应更小滚轮，散热  
Small sheave flexibility, heat dissipation

#### 拉力层 Tensile member


聚脂线，良好的拉力，相对较低的伸长  
Polyester base, excellent strength, relatively low elongation

#### 支撑衬垫 Compression Element

合成橡胶用以抵抗挤压造成的疲劳  
Composition prepared to resist the fatigue caused by compression

#### 硬聚脂线 Stiff cord

高支撑力和低拉伸率的硬质聚脂线绳  
Polyester cord with high adhesion and low stretch



#### 包布 Envelope

浸渍天然橡胶的棉织物，保护内部结构，允许皮带良好的滑动  
Cotton fabric impregnated with natural rubber to protect the inner parts. Allow the belt good flexibility

#### 绝缘体 Insulating Element

天然橡胶成分，避免各结构间的摩擦  
Natural rubber composition which avoids friction between components

### 截面 Profile

<b>A</b>	Length	15" to 197"	<b>AX</b>	Length	18" to 112"	<b>3V</b>	Length	15.7" to 182.5"
<b>B</b>	Length	18" to 280"	<b>BX</b>	Length	26" to 120"	<b>5V</b>	Length	53" to 355"
<b>C</b>	Length	32" to 315"	<b>CX</b>	Length	26" to 120"	<b>8V</b>	Length	100" to 560"
<b>D</b>	Length	79" to 441"						
<b>SPA</b>	Length	532 to 4500mm	<b>XPA</b>	Length	732 to 2847mm	<b>3VX</b>	Length	25" to 112"
<b>SPB</b>	Length	800 to 8000mm	<b>XPB</b>	Length	1250 to 2910mm	<b>5VX</b>	Length	45" to 150"
<b>SPC</b>	Length	1600 to 12500mm	<b>XPC</b>	Length	1016 to 3251mm	<b>8VX</b>	Length	100" to 125"



# G 固特异PowerSpan 同步带产品系列

## Goodyear PowerSpan Timing-Belt Sections

同步带传动是由一根内周表面设有等间距齿的环形带和具有相应齿的带轮组成，它是综合了带传动、链传动和齿轮传动各自优点的新型带传动，运动时，带齿与带轮的齿槽相啮合传递运动和动力。

Synchronous belt drive consists of an endless belt whose inner surface has equally spaced teeth and of wheels which have the corresponding teeth and is a kind of new type belt drive which has synthesized all the good points of belt drive, chain drive, and gear drive while working, the teeth of the gullets of the gear joggle each other to transmit the motion and the dynamic force.

同步带传动具有准确的传动比，无滑差，可获得恒定的速比，传动平稳，噪音小，传动比范围大，一般可打1:10，允许线速度可达40m/s,传递功率从几瓦到数百千瓦。

Synchronous belt drive has such features as exact transmission ratio, non-sliding, constant velocity ratio, even motion, absorption of vibration, little noise, the big range of transmission ratio which can normally reach 1:10, and the linear velocity can reach 40m/s.

传动效率高，一般可打0.98，结构紧凑，还适宜于多轴转动，不需润滑，无污染，因而可在不允许有污染和工作环境较为恶劣的场合下正常工作。

The high transmission efficiency normally reaches 0.98, compacting structure, the suitability to multi-axis transmission, no need of lubrication, no pollution and so on. Therefore, the product can normally work well in the places where no pollution is allowed and where the working condition is worse.





# G固特异PowerSpan 同步带产品系列


## Goodyear PowerSpan Timing-Belt Sections

固特异Powerspan同步带使用原料:

采用日本进口优质合成氯丁胶为主要原料, 配入多种不同用途的辅料; 骨架材料为日本进口优质玻璃纤维线绳; 带齿表面采用尼龙高弹力布做保护。具有动态屈挠性好, 抗龟裂性能好, 臭氧性能优良, 耐老化, 耐热, 耐油, 耐磨损等特点。

Goodyear Powerspan synchronous belt use raw materials:

high-quality Japanese imports of neoprene as the main raw materials, distribution of the supplies, a variety of different uses; skeleton materials for the Japanese import quality glass fiber cord; tooth surface with nylon high elastic fabrics do protection. With dynamic flexor around good, good anti-cracking properties, ozone excellent performance, anti-aging. Heat resistance, oil resistance, abrasion-resistant characteristics.




### 产品技术参数表 Products Technical Data Sheet


项 目 Item		梯形齿 Trapezium tooth					圆弧齿 Round tooth				
		XL	L	H	XH	XXH	3M	5M	8M	14M	20M
拉伸强度 Tension force / (N/mm) ≥		80	120	270	380	450	90	160	300	400	520
参考力伸长率 Force Elongation	参考力 Force / (N/mm)	60	90	220	300	360	70	130	240	320	410
	伸长率/% ≤	4.0									
带背硬度 (邵尔A型) Belt back rigidity ≥		75±5									
包布粘合强度 Envelop agglutinate intensity / (N/mm) ≥		5	6.5	8	10	12		6	10	12	15
芯绳粘合强度 Cord agglutinate intensity / N ≥		260	380	600	800	1500		400	700	1200	1600
齿体剪切强度 Tooth Cut intensity / (N/mm) ≥		500	60	70	75	90		50	60	80	100



# 高性能传统包布带 High Performance Classic V Belt



A Section



B Section


A Section						B Section					
型号 Part Number	内周长(mm) Inside length	型号 Part Number	内周长(mm) Inside length	型号 Part Number	内周长(mm) Inside length	型号 Part Number	内周长(mm) Inside length	型号 Part Number	内周长(mm) Inside length	型号 Part Number	内周长(mm) Inside length
A15	381	A50	1270	A85	2159	B18	457	B56	1422	B94	2388
A16	406	A51	1295	A86	2184	B19	483	B57	1448	B95	2413
A17	432	A52	1321	A87	2210	B20	508	B58	1473	B96	2438
A18	457	A53	1346	A88	2235	B21	533	B59	1499	B97	2464
A19	483	A54	1372	A89	2261	B22	559	B60	1524	B98	2489
A20	508	A55	1397	A90	2286	B23	584	B61	1549	B99	2515
A21	533	A56	1422	A91	2311	B24	610	B62	1575	B100	2540
A22	559	A57	1448	A92	2337	B25	635	B63	1600	B101	2565
A23	584	A58	1473	A93	2362	B26	660	B64	1626	B102	2591
A24	610	A59	1499	A94	2388	B27	686	B65	1651	B103	2616
A25	635	A60	1524	A95	2413	B28	711	B66	1676	B104	2642
A26	660	A61	1549	A96	2438	B29	737	B67	1702	B105	2667
A27	686	A62	1575	A97	2464	B30	762	B68	1727	B106	2692
A28	711	A63	1600	A98	2489	B31	787	B69	1753	B107	2718
A29	737	A64	1626	A99	2515	B32	813	B70	1778	B108	2743
A30	762	A65	1651	A100	2540	B33	838	B71	1803	B109	2769
A31	787	A66	1676	A101	2565	B34	864	B72	1829	B110	2794
A32	813	A67	1702	A102	2591	B35	889	B73	1854	B111	2819
A33	838	A68	1727	A103	2616	B36	914	B74	1880	B112	2845
A34	864	A69	1753	A104	2642	B37	940	B75	1905	B113	2872
A35	889	A70	1778	A105	2667	B38	965	B76	1930	B114	2896
A36	914	A71	1803	A106	2692	B39	991	B77	1956	B115	2921
A37	940	A72	1829	A107	2718	B40	1016	B78	1981	B116	2946
A38	965	A73	1854	A108	2743	B41	1041	B79	2007	B117	2972
A39	991	A74	1880	A109	2769	B42	1067	B80	2032	B118	2997
A40	1016	A75	1905	A110	2794	B43	1092	B81	2057	B119	3023
A41	1041	A76	1930	A111	2819	B44	1118	B82	2083	B120	3048
A42	1054	A77	1956	A112	2845	B45	1143	B83	2108	B121	3073
A43	1092	A78	1981	A113	2872	B46	1168	B84	2134	B122	3099
A44	1118	A79	2007	A114	2896	B47	1194	B85	2159	B123	3124
A45	1143	A80	2032	A115	2921	B48	1219	B86	2184	B124	3150
A46	1168	A81	2057	A116	2946	B49	1245	B87	2210	B125	3175
A47	1194	A82	2083	A117	2972	B50	1270	B88	2235	B126	3200
A48	1219	A83	2108	A118	2997	B51	1295	B89	2261	B127	3226
A49	1245	A84	2134	A119	3023	B52	1321	B90	2286	B128	3251
				A120	3048	B53	1346	B91	2311	B129	3277
						B54	1372	B92	2337	B130	3302
						B55	1397	B93	2362	B140	3556
										B144	3658

超过4米长，15米以内，均可以平板硫化方式加工，尺寸精确质量高。

Belts with length from 4,000 mm to 15,000 mm can be manufactured by plate press vulcanizer to ensure tight tolerance and high quality.



# 高性能传统包布带 High Performance Classic V Belt




M Section		C Section				D Section	
型号 Part Number	内周长(mm) Inside length	型号 Part Number	内周长(mm) Inside length	型号 Part Number	内周长(mm) Inside length	型号 Part Number	内周长(mm) Inside length
M18	457	C32	813	C76	1930	D79	2000
M19	483	C34	863	C77	1956	D98	2500
M20	508	C36	914	C78	1981	D104	2650
M21	533	C37	940	C79	2006	D110	2800
M22	559	C38	965	C80	2032	D118	3000
M23	584	C39	991	C81	2057	D120	3048
M24	610	C40	1016	C82	2083	D124	3150
M25	635	C41	1041	C83	2108	D128	3251
M26	660	C42	1067	C84	2133	D132	3350
M27	686	C43	1092	C85	2159	D135	3425
M28	711	C44	1118	C86	2184	D136	3454
M29	737	C45	1143	C87	2210	D140	3550
M30	762	C46	1168	C88	2235	D144	3658
M31	787	C47	1194	C89	2261	D148	3750
M32	813	C48	1219	C90	2286	D154	3925
M33	838	C49	1245	C91	2311	D158	4000
M34	864	C50	1270	C92	2337	D162	4115
M35	889	C51	1295	C93	2362	D167	4250
M36	914	C52	1321	C94	2388	D173	4394
M37	940	C53	1346	C95	2413	D177	4500
M38	965	C54	1372	C96	2438	D180	4572
M39	991	C55	1397	C97	2464	D187	4750
M40	1016	C56	1422	C98	2489	D195	4953
M41	1041	C57	1448	C99	2514	D197	5000
M42	1067	C58	1473	C100	2540	D208	5300
M43	1092	C59	1499	C101	2565	D210	5334
M44	1120	C60	1524	C102	2591	D220	5600
M45	1143	C61	1549	C103	2616	D225	5715
M46	1168	C62	1575	C104	2642	D236	6000
M47	1194	C63	1598	C105	2667	D240	6096
M48	1219	C64	1626	C106	2692	D248	6300
M50	1270	C65	1651	C107	2718	D264	6700
M51	1295	C66	1676	C108	2743	D270	6858
M56	1422	C67	1702	C109	2769	D280	7100
M61	1549	C68	1727	C110	2794	D295	7500
M62	1575	C69	1753	C113	2870	D300	7620
M63	1600	C70	1778	C114	2896	D315	8000
M64	1626	C71	1803	C115	2921	D330	8382
		C72	1829	C116	2946	D335	8500
		C73	1854	C117	2972	D354	9000
		C74	1880	C118	2997	D374	9500
		C75	1905	C120	3048	D394	10000
						D441	11200

超过4米长，15米以内，均可以平板硫化方式加工，尺寸精确质量高。

Belts with length from 4,000 mm to 15,000 mm can be manufactured by plate press vulcanizer to ensure tight tolerance and high quality.



# 包布不带齿窄型三角带 Envelop Non-Cogged Narrow V Belt



3V Section						5V Section		8V Section	
型号 Part Number	外周长(mm) Outside length	型号 Part Number	外周长(mm) Outside length	型号 Part Number	外周长(mm) Outside length	型号 Part Number	外周长(mm) Outside length	型号 Part Number	外周长(mm) Outside length
3V157	400	3V433	1100	3V900	2286	5V530	1346	8V1000	2540
3V167	425	3V438	1115	3V914	2322	5V560	1422	8V1060	2692
3V177	450	3V450	1143	3V950	2413	5V600	1524	8V1120	2845
3V187	475	3V458	1150	3V965	2451	5V630	1600	8V1180	2997
3V197	500	3V462	1175	3V991	2517	5V670	1702	8V1250	3175
3V207	525	3V480	1218	3V1000	2540	5V710	1803	8V1320	3353
3V217	550	3V490	1245	3V1018	2590	5V750	1905	8V1400	3556
3V226	575	3V496	1260	3V1030	2620	5V800	2032	8V1500	3810
3V236	600	3V500	1270	3V1050	2670	5V850	2159	8V1600	4064
3V240	610	3V510	1300	3V1075	2730	5V900	2286	8V1700	4318
3V246	625	3V520	1325	3V1100	2795	5V950	2413	8V1800	4572
3V251	638	3V530	1350	3V1120	2845	5V1000	2540	8V1900	4826
3V256	650	3V540	1375	3V1150	2920	5V1060	2692	8V2000	5080
3V264	671	3V550	1400	3V1175	2990	5V1120	2845	8V2120	5385
3V266	675	3V560	1425	3V1200	3050	5V1180	2997	8V2240	5690
3V270	685	3V570	1450	3V1225	3110	5V1250	3175	8V2360	5994
3V276	700	3V580	1475	3V1250	3175	5V1320	3353	8V2500	6350
3V285	725	3V584	1483	3V1275	3240	5V1400	3556	8V2650	6731
3V295	750	3V610	1550	3V1300	3300	5V1500	3810	8V2800	7112
3V305	775	3V630	1600	3V1325	3370	5V1600	4064	8V3000	7620
3V315	800	3V660	1675	3V1375	3500	5V1700	4318	8V3150	8001
3V320	813	3V670	1700	3V1400	3556	5V1800	4572	8V3350	8509
3V325	825	3V690	1750	3V1425	3620	5V1900	4826	8V3550	9017
3V335	850	3V695	1775	3V1450	3680	5V2000	5080	8V3750	9525
3V344	875	3V710	1803	3V1475	3750	5V2120	5385	8V4000	10160
3V354	900	3V734	1865	3V1500	3810	5V2240	5690	8V4250	10795
3V364	925	3V774	1965	3V1525	3875	5V2360	5994	8V4500	11430
3V370	940	3V787	2000	3V1550	3940	5V2500	6350	8V4750	12065
3V374	950	3V793	2015	3V1600	4065	5V2650	6731	8V5000	12700
3V384	975	3V800	2032	3V1625	4130	5V2800	7112	8V5600	14224
3V394	1000	3V807	2050	3V1650	4200	5V3000	7620		
3V400	1016	3V827	2100	3V1700	4320	5V3150	8001		
3V404	1025	3V840	2135	3V1725	4390	5V3350	8509		
3V406	1030	3V848	2155	3V1750	4445	5V3550	9017		
3V413	1050	3V850	2159	3V1775	4510				
3V423	1075	3V864	2195	3V1813	4605				
3V425	1080	3V889	2258	3V1825	4640				

超过4米长，15米以内，均可以平板硫化方式加工，尺寸精确质量高。

Belts with length from 4,000 mm to 15,000 mm can be manufactured by plate press vulcanizer to ensure tight tolerance and high quality.